

# Redefining the Finish Line



# Choose 3M products for consistent quality results.



## PAINT PREPARATION

Abrasives . . . . .	3-5
Tools . . . . .	5
Accessories . . . . .	5-7

## PAINT REPAIR

Abrasives . . . . .	8
Polishing and Buffing Pads . . . . .	8-9
Compounds and Polishes . . . . .	9
Tools . . . . .	10
Accessories . . . . .	10-11


## OTHER PAINT AREA APPLICATIONS

Abrasives . . . . .	12-15
Accessories . . . . .	15


## Scotch-Brite™ Clean and Finish Discs

	Description	UPC	Size	Grade	Color	Cs
	<ul style="list-style-type: none"> <li>• Flexible web for finishing, blending and polishing</li> <li>• Conformability allows access to hard-to-reach areas</li> <li>• Very fine grade aluminum oxide</li> </ul>	048011-00661-1	6" x NH	A VFN	Maroon	100


## 3M™ Hookit™ Paper Disc 236U

	Description	UPC	Size	Grade	Backing	Inner	Cs
	<ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Long life</li> <li>• Load resistant</li> <li>• Hook-and-Loop attachment for easy re-use</li> <li>• AOEM finish prep/repair, blending, finishing, orbital sanding, prepping metal prior to paint, random orbital sanding</li> <li>• Use on aluminum, carbon steel, fiberglass, gelcoat, hard composite, soft composite, softwood, solid surface</li> </ul>	051111-51001-8	5" x NH	P80	C-wt	50	250
		051111-51002-5	5" x NH	P100	C-wt	50	250
		051111-51003-2	5" x NH	P120	C-wt	50	250
		051111-51011-7	5" x NH	P150	C-wt	50	250
		051141-20575-5	5" x NH	P180	C-wt	50	250
		051111-51014-8	5" x NH	P220	C-wt	50	250
		051141-20576-2	5" x NH	P240	C-wt	50	250
		051141-20577-9	5" x NH	P320	C-wt	50	250
		051141-20578-6	5" x NH	P400	C-wt	50	250
		051141-27459-1	5" x NH	P500	C-wt	50	250
		051141-20579-3	6" x NH	P80	C-wt	50	250
		051141-20580-9	6" x NH	P100	C-wt	50	250
		051141-20581-6	6" x NH	P120	C-wt	50	250
		051141-20582-3	6" x NH	P150	C-wt	50	250
		051141-20584-7	6" x NH	P180	C-wt	50	250
		051141-20583-0	6" x NH	P220	C-wt	50	250
		051141-20586-1	6" x NH	P240	C-wt	50	250
		051141-20587-8	6" x NH	P320	C-wt	50	250
051141-27521-5	6" x NH	P500	C-wt	50	250		


## 3M™ NX PSA Paper Disc with Tab Liner

	Description	UPC	Size	Grade	Backing	Inner	Cs
	<ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• General purpose</li> <li>• Good value</li> <li>• Load resistant</li> <li>• Adhesive backing for easy attachment</li> <li>• Tabbed liner</li> <li>• Blending, coating removal, finishing, orbital sanding, prepping metal prior to paint, random orbital sanding, sealant removal, varnish stripping</li> </ul>	051141-31213-2	5" x NH	P80	D-wt	50	250
		051141-31214-9	5" x NH	P100	C-wt	50	250
		051141-31215-6	5" x NH	P120	C-wt	50	250
		051141-31216-3	5" x NH	P150	C-wt	50	250
		051141-31217-0	5" x NH	P180	C-wt	50	250
		051141-31218-7	5" x NH	P220	C-wt	50	250
		051141-27678-6	5" x NH	P240	C-wt	50	250
		051141-27680-9	5" x NH	P320	C-wt	50	250
		051141-27682-3	5" x NH	P400	C-wt	50	250
		051141-31221-7	6" x NH	P80	D-wt	50	250
		051141-31222-4	6" x NH	P100	C-wt	50	250
		051141-31223-1	6" x NH	P120	C-wt	50	250
		051141-31224-8	6" x NH	P150	C-wt	50	250
		051141-31225-5	6" x NH	P180	C-wt	50	250
		051141-31226-2	6" x NH	P220	C-wt	50	250
		051141-27679-3	6" x NH	P240	C-wt	50	250
		051141-27681-6	6" x NH	P320	C-wt	50	250
		051141-27683-0	6" x NH	P400	C-wt	50	250


## 3M™ Stikit™ Gold Paper Disc Roll 216U

	Description	UPC	Size	Grade	Backing	Discs/RI	RI/Cs
 <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Open coat</li> <li>• Good value</li> <li>• Load resistant</li> <li>• Convenient disc roll form</li> <li>• Finish prep/repair, defect repair/leveling, orbital sanding, intermediate sanding</li> <li>• Use on clear coats, hardwood, paint, primer, softwood, topcoats</li> </ul>		051111-49909-2	5" x NH	P80	A-wt	125	10
		051111-49910-8	5" x NH	P100	A-wt	125	10
		051111-49911-5	5" x NH	P120	A-wt	125	10
		051111-49912-2	5" x NH	P150	A-wt	175	6
		051111-49913-9	5" x NH	P180	A-wt	175	6
		051144-01423-1	5" x NH	P220	A-wt	175	6
		051144-01422-4	5" x NH	P240	A-wt	175	6
		051144-01421-7	5" x NH	P280	A-wt	175	6
		051144-01420-0	5" x NH	P320	A-wt	175	6
		051144-96433-8	5" x NH	P320	A-wt	175	6
		051131-01417-6	5" x NH	P500	A-wt	175	6
		051131-01419-0	5" x NH	P400	A-wt	175	6
		051141-27414-0	6" x NH	P80	A-wt	125	10
		051141-27413-3	6" x NH	P100	A-wt	125	10
		051141-27416-4	6" x NH	P120	A-wt	125	10
		051141-27412-6	6" x NH	P150	A-wt	175	6
		051141-27474-4	6" x NH	P180	A-wt	175	6
		051141-27472-0	6" x NH	P220	A-wt	175	6
		051144-96434-5	6" x NH	P320	A-wt	175	6
		051131-01433-6	6" x NH	P360	A-wt	175	6
	051144-96496-3	6" x NH	P400	A-wt	175	6	




## 3M™ NX PSA Paper Disc Roll

	Description	UPC	Size	Grade	Backing	Discs/RI	RI/Cs
 <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• General purpose</li> <li>• Good value</li> <li>• Load resistant</li> <li>• Adhesive backing for easy attachment</li> <li>• Convenient disc roll form</li> <li>• Blending, coating removal, finishing, orbital sanding, prepping metal prior to paint, random orbital sanding, sealant removal, varnish stripping</li> </ul>		051141-31181-4	5" x NH	P80	D-wt	100	4
		051141-31182-1	5" x NH	P100	C-wt	100	4
		051141-31183-8	5" x NH	P120	C-wt	100	4
		051141-31184-5	5" x NH	P150	C-wt	100	4
		051141-31185-2	5" x NH	P180	C-wt	100	4
		051141-31186-9	5" x NH	P220	C-wt	100	4
		051141-27672-4	5" x NH	P240	C-wt	100	4
		051141-27674-8	5" x NH	P320	C-wt	100	4
		051141-27676-2	5" x NH	P400	C-wt	100	4
		051141-31189-0	6" x NH	P80	D-wt	100	4
		051141-31190-6	6" x NH	P100	C-wt	100	4
		051141-31191-3	6" x NH	P120	C-wt	100	4
		051141-31192-0	6" x NH	P150	C-wt	100	4
		051141-31193-7	6" x NH	P180	C-wt	100	4
		051141-31194-4	6" x NH	P220	C-wt	100	4
		051141-27673-1	6" x NH	P240	C-wt	100	4
		051141-27675-5	6" x NH	P320	C-wt	100	4
		051141-27677-9	6" x NH	P400	C-wt	100	4

## 3M™ Clean Sanding Disc 236U


	Description	UPC	Size	Grade	Backing	Inner	Cs
 <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Best for dust control</li> <li>• Long life</li> <li>• Load resistant</li> <li>• Hook-and-Loop attachment for easy re-use</li> </ul>		051131-01693-4	5"	P80	C-wt	50	250
		051131-01694-1	5"	P100	C-wt	50	250
		051131-01695-8	5"	P120	C-wt	50	250
		051131-01696-5	5"	P150	C-wt	50	250
		051131-01697-2	5"	P180	C-wt	50	250
		051131-01698-9	5"	P220	C-wt	50	250
		051131-01699-6	5"	P240	C-wt	50	250
		051131-01701-6	5"	P320	C-wt	50	250
		051131-01702-3	5"	P400	C-wt	50	250
		051141-20749-0	6"	P80	C-wt	50	250
		051141-20751-3	6"	P120	C-wt	50	250
		051141-20753-7	6"	P180	C-wt	50	250
		051141-20754-4	6"	P220	C-wt	50	250
		051141-20755-1	6"	P240	C-wt	50	250
		051141-20756-8	6"	P320	C-wt	50	250

## 3M™ Elite Random Orbital Sanders


	Description	UPC	Part No.	Size	Orbit	Max RPM	Airflow	Pad Included	Cs
 <ul style="list-style-type: none"> <li>• Non-Vacuum</li> <li>• .28 HP (209 W)</li> </ul>		051141-28497-2	28497	5" (127mm)	3/16"	12,000	17 SCFM (481 LPM)	Stikit™ 20351	1
		051141-28500-9	28500	6" (152mm)	3/16"	12,000	17 SCFM (481 LPM)	Stikit™ 20354	1
 <ul style="list-style-type: none"> <li>• Central Vacuum</li> <li>• .28 HP (209 W)</li> </ul>		051141-28506-1	28506	5" (127mm)	3/16"	12,000	17 SCFM (481 LPM)	Hookit™ 20353	1
		051141-28508-5	28508	6" (152mm)	3/16"	12,000	17 SCFM (481 LPM)	Hookit™ 20356	1
 <ul style="list-style-type: none"> <li>• Self-Generated Vacuum</li> <li>• .28 HP (209 W)</li> </ul>		051141-28514-6	28514*	5" (127mm)	3/16"	12,000	17 SCFM (481 LPM)	Hookit™ 20353	1
		051141-28516-0	28516*	6" (152mm)	3/16"	12,000	17 SCFM (481 LPM)	Hookit™ 20356	1

\*One (1) each of the following included: 3M™ Clean Sanding Filter Bag, Filter Bag Adapter, Hose Seal

## 3M™ Clean Sanding Filter Bag



	Description	UPC	Part No.	Size	Case Qty
 <ul style="list-style-type: none"> <li>• Used on Random Orbital Sanders with Self-Generated Vacuum to collect dust</li> <li>• Eliminates the need for vacuum hose which improves operator ease of use</li> <li>• Attach bag to sander with 3M™ Filter Bag Adapter</li> <li>• HEPA-rated</li> </ul>	051141-20452-9	20452	Large — Holds up to 1/2 lb.	50	

## 3M™ Stikit™ Disc Roll Dispenser

	Description	UPC	Part No.	Case Qty
	<ul style="list-style-type: none"> <li>• For dispensing 5" or 6" 3M™ Stikit™ Disc Rolls</li> <li>• Portable or can be wall or bench mounted</li> <li>• Sturdy metal dispenser keeps abrasives flat while protecting the adhesive backing</li> <li>• Holds two rolls</li> </ul>	051144-05450-3	05450	1



## 3M™ Stikit™ Disc Pads

These disc pads have a vinyl face material which drives 3M™ Stikit™ Discs with pressure sensitive adhesive backings.

	Description	UPC	Part No.	Shape	Dia.	Thickness	Thread Size	Foam/ Face Color	Density Rating	Max OPM/RPM	Case Qty
	<ul style="list-style-type: none"> <li>• Tapered edge for flexibility</li> <li>• Easy release face</li> </ul>	051144-45215-6	45215	45°	5"	3/4"	5/16–24 EXT	Yellow/ Silver	Medium	12,000/ 10,000	10
	<ul style="list-style-type: none"> <li>• Tapered edge for easy sanding of contoured surfaces</li> </ul>	051144-05576-0	05576	45°	6"	3/4"	5/16–24 EXT	Yellow/ Blue	Medium	12,000/ 10,000	1




## 3M™ Stikit™ Low Profile Finishing Disc Pads

These disc pads have a vinyl face material which drives 3M™ Stikit™ Discs with pressure sensitive adhesive backings. Use with grades 220 and finer.


	Description	UPC	Part No.	Shape	Dia.	Thickness	Thread Size	Foam/ Face Color	Density Rating	Max OPM/RPM	Case Qty
	<ul style="list-style-type: none"> <li>• Low Profile</li> <li>• Use with 5" Stikit™ Discs</li> </ul>	051131-05545-2	05545	15°	5"	11/16"	5/16–24 EXT	Beige/ Brown	Soft	12,000/ 12,000	10
	<ul style="list-style-type: none"> <li>• Low Profile</li> <li>• Use with 6" Stikit™ Discs</li> </ul>	051131-05546-9	05546	15°	6"	11/16"	5/16–24 EXT	Beige/ Brown	Soft	12,000/ 10,000	1

## 3M™ Hookit™ Hand Pads

For use with 5" diameter 3M™ Hookit™ Discs. Available in various densities and thicknesses for your hand sanding needs.




	Description	UPC	Part No.	Dia.	Shape	Thickness	Color	Face Color	Density Rating	Hook Type	Case Qty
	<ul style="list-style-type: none"> <li>• Conformable</li> <li>• Reduces finger marks</li> <li>• 1" wide hand strip</li> </ul>	051144-77750-1	77750	5"	Round	1"	Black	Black	Soft	1	10
	<ul style="list-style-type: none"> <li>• Hold pad with less gripping force</li> <li>• Flat edge allows sanding along straight edges</li> </ul>	051144-85095-2	85095	5"	Contoured	—	Yellow	Yellow	Firm	1	10
	<ul style="list-style-type: none"> <li>• Conformable</li> <li>• Spreads out finger pressure</li> <li>• 1" wide hand strip</li> </ul>	051111-56493-6	88132	5"	Half Round	1/4"	Black	Black	Medium	1	20

## 3M™ Stikit™ Hand Pads

	Description	UPC	Part No.	Size	Thickness	Foam Color	Face Color	Density Rating	Case Qty
	<ul style="list-style-type: none"> <li>Firm yet conformable</li> <li>Lightweight</li> <li>Supports all grades of 5" 3M™ Stikit™ Discs</li> <li>For easier corner and contour sanding</li> </ul>	051144-05585-2	05585	2-3/4" x 5"	3/8"	Black	Black	Medium	1





## 3M™ Hookit™ Disc Pads

These disc pads have a hook attachment which drives 3M™ Hookit™ Discs with brushed nylon loop backings.


	Description	UPC	Part No.	Shape	Dia.	Thickness	Thread Size	Foam/Face Color	Density Rating	Hook Type	Max OPM/RPM	Case Qty
	<ul style="list-style-type: none"> <li>Tapered edge</li> </ul>	051131-05775-3	05775	15°	5"	3/4"	5/16–24 EXT	Yellow/Yellow	Medium	1	12,000/12,000	1
	<ul style="list-style-type: none"> <li>Tapered edge</li> </ul>	051131-05776-0	05776	45°	6"	3/4"	5/16–24 EXT	Yellow/Yellow	Medium	1	12,000/12,000	1
	<ul style="list-style-type: none"> <li>Low Profile Finishing</li> </ul>	051144-77855-3	77855	15°	5"	11/16"	5/16–24 EXT	Beige/Yellow	Soft	1	12,000/12,000	10

## 3M™ Hookit™ Clean Sanding Disc Pads


Designed with high performance hole patterns. Pair with a 3M™ Random Orbital Sander to increase abrasive life and achieve high efficiency dust pickup.

	Description	UPC	Part No.	Dia.	Thickness	Thread Size	# of Holes	Color/Face Color	Density Rating	Hook Type	Max OPM/RPM	Case Qty
	<ul style="list-style-type: none"> <li>Low profile finishing</li> <li>Allows disc to flex to aid in extending abrasive life in loading applications</li> <li>Use with 3M™ Hookit™ Clean Sanding Discs (grade 220 and finer)</li> </ul>	051141-20290-7	20290	5"	11/16"	5/16–24 EXT	40	Yellow/Yellow	Soft	1	12,000/12,000	10
	<ul style="list-style-type: none"> <li>Low profile</li> <li>Use with 3M™ Hookit™ Clean Sanding Discs or 3M™ Hookit™ D/F Discs</li> <li>Use on random orbital sanders with 5/16–24 internal threads</li> </ul>	051141-20353-9	20353	5"	3/8"	5/16–24 EXT	44	Red/Black	Firm	2	12,000/12,000	10
	<ul style="list-style-type: none"> <li>Use with 3M™ Hookit™ Clean Sanding Discs</li> <li>Allows disc to flex to aid in extending abrasive life in loading applications</li> </ul>	051141-20425-3	20425	6" x 3/4" CH	1/2"	5/16–24 EXT	25	Yellow/Yellow	Soft	1	12,000/10,000	10
	<ul style="list-style-type: none"> <li>Low profile</li> <li>Use with 3M™ Hookit™ Clean Sanding Discs or 3M™ Hookit™ D/F Discs</li> <li>Use on random orbital sanders with 5/16–24 internal threads</li> </ul>	051141-20356-0	20356	6"	3/8"	5/16–24 EXT	52	Red/Black	Firm	2	12,000/12,000	10



## 3M™ Trizact™ Finesse-it™ Film Disc Roll 466LA

	Description	UPC	Size	Grade	Discs/RI	RIs/Cs
	<ul style="list-style-type: none"> <li>• Micro-structured silicon carbide on a waterproof film backing</li> <li>• Pressure sensitive adhesive attachment system</li> <li>• Level defects quickly</li> <li>• Minimizes processing steps</li> <li>• Easy to buff to high gloss finish</li> <li>• Convenient disc roll form</li> </ul>	051111-54589-8	3" x NH x 250"	A5	500	4
		051111-56251-2	1-1/4" x NH	A5	500	4
		051111-56287-1	3" x NH x 250"	A7	500	4
		051111-56286-4	2" x NH	A7	500	4
		051111-56288-8	1-1/4" x NH	A7	500	4

## 3M™ Trizact™ Hookit™ Foam Discs


	Description	UPC	Part No.	Size	Grade	Discs/Bx	Bx/Cs
	<ul style="list-style-type: none"> <li>• High Performance abrasive disc with Hookit™ Attachment System</li> <li>• Refining P1200 – P1500 grade sand scratches during paint finishing process</li> </ul>	051131-02087-0	02087	3"	P3000	15	4
		051131-02096-2	02096	5"	P3000	15	4
		051131-02085-6	02085	6"	P3000	15	4

## 3M™ Foam Compounding and Polishing Pads




	Description	UPC	Part No.	Dia.	Color	Inner	Cs
	<ul style="list-style-type: none"> <li>• Compounding Pad</li> <li>• Hook-and-Loop attachment</li> <li>• Refines P1200 or finer sand scratches and other paint surface defects</li> </ul>	051131-05723-4	05723	8"	White	2/bag	12
	<ul style="list-style-type: none"> <li>• Polishing Pad</li> <li>• Single sided</li> <li>• Use to remove compound swirl marks and fine paint surface defects</li> </ul>	051131-05725-8	05725	8"	Black	2/bag	24

## 3M™ Perfect-it™ Hookit™ Foam Polishing Pads

Soft foam pads for application of polishes and glazes to remove haze and swirls. Use with 3M™ Hookit™ Discs Pads. 3M™ Hookit™ Attachment System.

	Description	UPC	Part No.	Dia.	Thickness	Color	Density Rating	Inner	Cs
	<ul style="list-style-type: none"> <li>• Waffle face holds polishes better</li> </ul>	051131-05726-5	05726	3"	1"	Black	Soft	10	40
	<ul style="list-style-type: none"> <li>• Waffle face holds polishes better</li> </ul>	051131-05727-2	05727	5-1/4"	1"	Black	Soft	12	48






## 3M™ Perfect-It™ Foam Compounding and Polishing Pads

	Description	UPC	Part No.	Size	Color	Inner	Cs
	<ul style="list-style-type: none"> <li>• Ultra Fine Polishing Pad</li> <li>• Waffle face holds polishes better</li> </ul>	051131-05733-3	05733	8"	Blue	1/bag	6
	<ul style="list-style-type: none"> <li>• Ultra Fine Polishing Pad</li> <li>• Waffle face holds polishes better</li> <li>• Hook-and-Loop attachment</li> </ul>	051131-05760-9	05760	3"	Blue	2/bag	12
	<ul style="list-style-type: none"> <li>• Compounding Pad</li> <li>• Waffle face holds polishes better</li> </ul>	051131-05737-1	05737	8"	White	1/bag	6



## 3M™ Finesse-it™ Buffing Pads








3M™ Finesse-it™ Buffing Pads provide a soft, smooth surface for applying 3M™ Finesse-it™ Polishes. 3M™ Hookit™ Attachment System.

	Description	UPC	Part No.	Dia.	Pile Height	Color	Inner	Cs
	• Foam Buffing Pad	051111-51151-0	02648*	3-1/4"	—	Orange Foam/White Loop	10	50
	• Foam Buffing Pad	051111-60799-2	01963*	3"	—	White Foam/Black Loop	10	50
	• Roloc™ Finishing Pad	051131-05924-5	05924	3"	—	Black	12	60
	• Knit Buffing Pad	051144-85078-5	85078	3"	15/16"	White	10	50
	• Natural Buffing Pad	051144-81471-8	81471	5-1/4"	20mm	Natural	10	50
		051144-81470-1	81470	3"	20mm	Natural	10	50



\*Max 12,000 OPM; Max 12,000 RPM

## Compounds and Polishes


Specially designed compounds and polishes to be used on OEM and baked refinish paints to remove sand scratches or to remove swirl marks from previously compounded areas.

	Description	UPC	Part No.	Size	Color	Case Qty
	<ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Final Finish</li> <li>• Easy Cleanup</li> <li>• Remove sand scratches or swirl marks from previously compounded areas</li> <li>• Use on OEM and baked refinish paints</li> </ul>	051144-82877-7	82877	Liter	Gray	12
		051144-82878-4	82878	Gallon	Gray	4
	<ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Finishing Material</li> <li>• Easy Cleanup</li> <li>• Remove sand scratches or swirl marks from previously compounded areas</li> <li>• Use on OEM and baked refinish paints</li> </ul>	051144-13084-9	13084	Gallon	White	4
		051144-81235-6	81235	Liter	White	12
	<ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Polish</li> <li>• Extra Fine</li> <li>• Minimal haze</li> <li>• Refines sand scratches in automotive clear coats left from previous steps</li> </ul>	051131-06002-9	06002	Gallon	White	4
	<ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Polish</li> <li>• Extra Fine</li> <li>• Removes sand scratches and swirls left from previous process steps in automotive clear coats</li> </ul>	051111-51157-2	51056	Gallon	Purple	4
	<ul style="list-style-type: none"> <li>• 3M™ Perfect-It™ Rubbing Compound</li> <li>• Fast cutting</li> <li>• Removes sand scratches and leaves a fine finish on automotive paints</li> </ul>	051131-06085-2	06085	Quart (946mL)	White Cap	6
	<ul style="list-style-type: none"> <li>• 3M™ Imperial™ Compound and Finishing Material</li> <li>• Removes P600 or P800 dual action sand scratches from gelcoat, with a wool pad</li> </ul>	051131-06044-9	06044	32 fl. oz.	White	12
	<ul style="list-style-type: none"> <li>• 3M™ Perfect-It™ Denibbing Polish</li> <li>• Removes P1500 sand scratches</li> </ul>	051131-39063-8	39063	16 oz. (473mL)	Purple	6


## 3M™ Mini-Random Orbital Sander and Nib Removal Sander

	Description	UPC	Part No.	Size	PSI	Max RPM	Airflow	Pad Included	Cs
	<ul style="list-style-type: none"> <li>• Mini-Random Orbital Sander</li> <li>• .27 HP (201 W)</li> <li>• Works in tight areas</li> <li>• Lightweight</li> <li>• One-piece shaft balancer</li> </ul>	051141-20244-0	20244	1-1/4" x 3/16"	90	8,000	15 SCFM (425 LPM)	Finesse-it™ Roloc™ 02345	1
	<ul style="list-style-type: none"> <li>• Nib Removal Sander</li> <li>• .067 HP (50 W)</li> <li>• Works in tight areas</li> <li>• Lightweight, easy grip</li> <li>• Precise speed control</li> </ul>	051111-60536-3	03125	1-1/4" dia.	57-90	7,500	5.3 SCFM (150 LPM)	Hookit™ 20353	1


## 3M™ Buffer

	Description	UPC	Part No.	Size	Orbit	PSI	Max RPM	Air Inlet Thread	Cs
	<ul style="list-style-type: none"> <li>• Random Orbital</li> <li>• .26 HP (201 W)</li> <li>• Buff and polish clear coat</li> <li>• Light-weight</li> <li>• 3M™ Gripping Material for greater operator comfort</li> </ul>	051141-28333-3	28333	1-1/4" x 3/16"	1/2" (12mm)	90	11,000	1/4" NPT	1

## 3M™ Mini Mandrel





	Description	UPC	Part No.	Shank Size	Overall Length	Max RPM	Cs
	<ul style="list-style-type: none"> <li>• Use with 1" x 1-1/2" sheets of Scotch-Brite™ Abrasive Material</li> <li>• Fits into tight areas</li> </ul>	048011-04020-2	935	1/4"	2-7/8"	14,000	5

## 3M™ Quick Release Adapter


	Description	UPC	Part No.	Thread	Attachment	MOQ
	<ul style="list-style-type: none"> <li>• Polisher adaptor used to quickly connect and disconnect double sided buffing pads</li> <li>• Centers pads for more effective use</li> <li>• Makes it easy to change between compound and polishing pads</li> </ul>	051131-05752-4	05752	5/8"	Attach directly to polisher	10

## 3M™ Roloc™ Backup Pads

Soft foam pads for application of polishes and glazes to remove haze and swirls. Use with 3M™ Hookit™ Discs Pads. 3M™ Hookit™ Attachment System.



	Description	UPC	Part No.	Dia.	Thickness	Thread Size	Foam/Face Color	Density Rating	Max OPM/RPM	Case Qty
	<ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Roloc™ Finishing Disc Pad</li> <li>• Hookit, Hook Type 3</li> <li>• Good conformability</li> </ul>	051144-14736-6	14736U	3"	1"	Roloc™ TR	Yellow/Black & White	Soft	10,000/6,000	12
	<ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Roloc™ Sanding Pad</li> <li>• Use with PSA discs</li> </ul>	051144-13442-7	13442	1-1/4"	5/16"	Roloc™ TR	Black/Black	Medium	10,000/6,000	10
	<ul style="list-style-type: none"> <li>• 3M™ Stikit™ Roloc™ Disc Pad</li> <li>• Use with PSA discs</li> </ul>	051111-55833-1	02727	1-1/4"	5/16"	Roloc™ TR	Black/Black	Medium	12,000/10,000	20/cs
	<ul style="list-style-type: none"> <li>• 3M™ Finesse-it™ Roloc™ Sanding Pad</li> <li>• Use with PSA discs</li> </ul>	051111-50198-6	02345	1-1/4"	5/16"	Roloc™ TR	Black/Blue	Medium	12,000/10,000	20/cs

## 3M™ Dual Lock Rubber Skirts


	Description	UPC	Part No.	Dia.	Max RPM	Case Qty
	<ul style="list-style-type: none"> <li>Attaches to 3M™ Nib Removal Sander (PN03125) with existing four screws</li> <li>Used in applications where a more durable attachment is needed to secure backup pad</li> </ul>	051141-20246-4	20246	1-1/4"	7,500	10

## 3M™ Finesse-it™ Hand Sanding Pads


Hand pads used to support 3M™ Finesse-it™ Discs.

	Description	UPC	Part No.	Dia.	Color	Face Color	Density Rating	Case Qty
	<ul style="list-style-type: none"> <li>Red rubber hand sanding pad</li> <li>Both ends can be used to hold PSA sanding discs</li> </ul>	051144-13441-0	13441	1-1/4"	Red	Red	Firm	20
	<ul style="list-style-type: none"> <li>Red rubber hand sanding pad</li> <li>One end is firm for better defect leveling and the other end has a soft black vinyl face for producing a finer finish</li> </ul>	051111-50199-3	50199	1-1/4"	Red	Black	Soft	20




## 3M™ Hookit™ Backup Pad

	Description	UPC	Part No.	Size	Thread Size	Color	Density Rating	Max RPM	Case Qty
	<ul style="list-style-type: none"> <li>Allows for easy attachment, quick removal and accurate centering of single sided compounding or polishing pads</li> </ul>	051131-05717-3	05717	7" x 3/4"	5/8-11	Yellow	Soft	3,000	1


## 3M™ Perfect-It™ Backup Pad

	Description	UPC	Part No.	Size	Thread Size	Color	Density Rating	Max RPM	Case Qty
	<ul style="list-style-type: none"> <li>Allows for easy and quick removal and accurate centering of single sided compounding or polishing pads</li> <li>Use with 3M™ Superbuff™ Adapter PN05710</li> </ul>	051131-05718-0	05718	7" x 3/4"	5/8-11 INT	Yellow	Soft	3,000	1

## Scotch-Brite™ Hand Pads

	Description	UPC	Part No.	Size	Color	Pads/Bx	Bx/Cs
	<ul style="list-style-type: none"> <li>• General Purpose</li> <li>• Rinses clean and does not rust</li> <li>• Reusable</li> </ul>	051131-07447-7	07447	6" x 9"	Maroon	20	3
	<ul style="list-style-type: none"> <li>• Ultra Fine</li> <li>• Rinses clean and does not rust</li> <li>• Reusable</li> </ul>	051131-07448-4	07448	6" x 9"	Gray	20	3
	<ul style="list-style-type: none"> <li>• Paint Prep Scuff</li> <li>• Very light cleaning</li> <li>• Use with liquid detergents</li> </ul>	051131-07777-5	07777	6" x 9"	Maroon	20	3


## 3M™ Utility Cloth Sheet 314D

	Description	UPC	Size	Grade	Backing	Inner	Cs
	<ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Durable</li> <li>• Reduced shelling, even when torn or rolled</li> <li>• Use on all metals, paint</li> <li>• Blending, cleaning, contour finishing, deburring and rust removal</li> </ul>	051115-19763-5	9" x 11"	P400	J-wt	50	250
		051115-19764-2	9" x 11"	P320	J-wt	50	250
		051115-19765-9	9" x 11"	P280	J-wt	50	250
		051115-19766-6	9" x 11"	P240	J-wt	50	250
		051115-19767-3	9" x 11"	P220	J-wt	50	250
		051115-19768-0	9" x 11"	P180	J-wt	50	250
		051115-19769-7	9" x 11"	P150	J-wt	50	250
		051115-19770-3	9" x 11"	P120	J-wt	50	250
		051115-19771-0	9" x 11"	P100	J-wt	50	250
		051115-19772-7	9" x 11"	P80	J-wt	50	250
		051115-19773-4	9" x 11"	P60	X-wt	50	250
		051115-19774-1	9" x 11"	P50	X-wt	50	250
051115-19775-8	9" x 11"	P40	X-wt	50	250		


## 3M™ Utility Cloth Sheet 211K

	Description	UPC	Size	Grade	Backing	Inner	Cs
	<ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Good flexibility for general maintenance work</li> <li>• Use for cleaning, contour finishing, deburring and rust removal</li> <li>• Use on all metals, paint</li> </ul>	051144-12500-5	9" x 11"	500	J-wt	50	250
		051144-12501-2	9" x 11"	400	J-wt	50	250
		051144-02402-5	9" x 11"	320	J-wt	50	250


## 3M™ Wetordry™ Sheets

	Description	UPC	Part No.	Size	Grade	Backing	Sheet/ Sleeve	Sleeves/ Cs
	<ul style="list-style-type: none"> <li>• Use wet with water or dry</li> <li>• Stays flexible and cuts fast</li> <li>• Use for sanding old finishes, fine featheredging, surface sanding or last final sanding step before priming</li> </ul>	051144-02000-3	02000	9" x 11"	600	A-wt.	50	10
		051144-02001-0	02001	9" x 11"	500	A-wt.	50	5
		051144-02002-7	02002	9" x 11"	400	A-wt.	50	10
		051144-02003-4	02003	9" x 11"	360	A-wt.	50	5
		051144-02004-1	02004	9" x 11"	320	A-wt.	50	10
		051144-02005-8	02005	9" x 11"	280	A-wt.	50	5
		051144-02006-5	02006	9" x 11"	240	A-wt.	50	5
		051144-02007-2	02207	9" x 11"	220	A-wt.	50	10


## 3M™ Wetordry™ Paper Sheets 431Q

	Description	UPC	Size	Grade	Backing	Inner	Cs
 <ul style="list-style-type: none"> <li>• Silicon carbide</li> <li>• Can be run wet or dry</li> <li>• Heavy duty for increased durability</li> <li>• Use wet to reduce clogging and extend abrasive life</li> <li>• Composite, metalworking, MRO, paint preparation</li> </ul>	051144-02015-7	9" x 11"	150	C-wt	100	1000	
	051144-02016-4	9" x 11"	120	C-wt	100	1000	
	051144-02017-1	9" x 11"	180	C-wt	100	1000	
	051144-02018-8	9" x 11"	80	C-wt	100	1000	

## 3M™ Paper Sheet 336U

	Description	UPC	Size	Grade	Backing	Inner	Cs
 <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Load resistant</li> <li>• Heat resistant</li> <li>• Good on soft metals</li> <li>• Blending, prepping metal prior to paint</li> </ul>	051144-02112-3	9" x 11"	150	C-wt	100	1000	
	051144-02113-0	9" x 11"	120	C-wt	100	1000	
	051144-02114-7	9" x 11"	100	C-wt	100	1000	
	051144-02115-4	9" x 11"	80	D-wt	50	500	
	051144-02116-1	9" x 11"	60	D-wt	50	500	
	051144-02117-8	9" x 11"	50	D-wt	50	500	
	051144-02118-5	9" x 11"	40	D-wt	50	250	
	051144-02119-2	9" x 11"	36	D-wt	50	250	


## 3M™ Paper Sheet 405N

	Description	UPC	Size	Grade	Backing	Inner	Cs
 <ul style="list-style-type: none"> <li>• Silicon carbide</li> <li>• Load resistant</li> <li>• Fast cutting</li> <li>• Exceptional finishes</li> <li>• Excellent conformability</li> <li>• Great for contour blending</li> <li>• Finishing, lacquer sanding, scuffing, sealant removal and varnish stripping</li> </ul>	051144-10240-2	9" x 11"	500	A-wt	100	1000	
	051144-10241-9	9" x 11"	400	A-wt	100	1000	
	051144-10242-6	9" x 11"	360	A-wt	100	1000	
	051144-10243-3	9" x 11"	320	A-wt	100	1000	
	051144-10244-0	9" x 11"	280	A-wt	100	1000	
	051144-10245-7	9" x 11"	240	A-wt	100	1000	
	051144-10246-4	9" x 11"	220	A-wt	100	1000	
	051144-10247-1	9" x 11"	180	A-wt	100	1000	
	051144-10248-8	9" x 11"	150	A-wt	100	1000	
	051144-10270-9	3-2/3" x 9"	400	A-wt	400	4000	
	051144-10272-3	3-2/3" x 9"	320	A-wt	400	4000	
	051144-10273-0	3-2/3" x 9"	280	A-wt	400	4000	
	051144-10274-7	3-2/3" x 9"	240	A-wt	400	4000	
	051144-10275-4	3-2/3" x 9"	220	A-wt	400	4000	
	051144-10276-1	3-2/3" x 9"	180	A-wt	400	4000	


## Scotch-Brite™ Clean and Finish Roll

	Description	UPC	Size	Grade	Color	Rolls/Cs
 <ul style="list-style-type: none"> <li>• Flexible web for finishing, blending and polishing</li> <li>• Conformable for access to hard-to-reach areas</li> <li>• General use on a variety of materials.</li> <li>• Cut-to-fit for a custom size</li> <li>• Aluminum oxide</li> </ul>	048011-00264-4	4" x 30 ft	A MED	Maroon	3	
	048011-00265-1	4" x 30 ft	A FIN	Maroon	3	
	048011-00266-8	4" x 30 ft	A VFN	Maroon	3	
	048011-00270-5	4" x 30 ft	S VFN	Maroon	3	
	048011-00274-3	6" x 30 ft	A MED	Maroon	2	
	048011-00275-0	6" x 30 ft	A FIN	Maroon	2	
	048011-00276-7	6" x 30 ft	A VFN	Maroon	2	


## Scotch-Brite™ Cut and Polish Roll

	Description	UPC	Size	Grade	Color	Rolls/Cs
 <ul style="list-style-type: none"> <li>• Load resistant</li> <li>• Conformable</li> <li>• Cut-to-fit for custom size</li> <li>• Long life and extremely durable</li> <li>• Good flexibility</li> </ul>		048011-04085-1	1" x 30 ft	A MED	Tan	12
		048011-05206-9	2" x 30 ft	A MED	Tan	6
		048011-05207-6	4" x 30 ft	A MED	Tan	3


## 3M™ Utility Cloth Roll 314D

	Description	UPC	Size	Grade	Backing	Cs
 <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Excellent durability, even when rolled, twisted or folded</li> <li>• Can be torn by hand easily to achieve a straight, clean edge and avoid a frayed edge that can cause wild scratches</li> <li>• Use for general purpose sanding; fine sanding and polishing applications; removing rust, scale and contaminants; surface preparation for paints and coatings</li> </ul>		051115-19783-3	1" x 50 yds.	P400	J-wt	5
		051115-19784-0	1" x 50 yds.	P320	J-wt	5
		051115-19785-7	1" x 50 yds.	P280	J-wt	5
		051115-19786-4	1" x 50 yds.	P240	J-wt	5
		051115-19787-1	1" x 50 yds.	P220	J-wt	5
		051115-19788-8	1" x 50 yds.	P180	J-wt	5
		051115-19789-5	1" x 50 yds.	P150	J-wt	5
		051115-19790-1	1" x 50 yds.	P120	J-wt	5
		051115-19791-8	1" x 50 yds.	P100	J-wt	5
		051115-19792-5	1" x 50 yds.	P80	J-wt	5
		051115-19793-2	1" x 50 yds.	P60	X-wt	5
		051115-19794-9	1" x 50 yds.	P50	X-wt	5
		051115-19802-1	1-1/2" x 50 yds.	P400	J-wt	5
		051115-19803-8	1-1/2" x 50 yds.	P320	J-wt	5
		051115-19804-5	1-1/2" x 50 yds.	P280	J-wt	5
		051115-19805-2	1-1/2" x 50 yds.	P240	J-wt	5
		051115-19806-9	1-1/2" x 50 yds.	P220	J-wt	5
		051115-19807-6	1-1/2" x 50 yds.	P180	J-wt	5
		051115-19808-3	1-1/2" x 50 yds.	P150	J-wt	5
		051115-19809-0	1-1/2" x 50 yds.	P120	J-wt	5
		051115-19810-6	1-1/2" x 50 yds.	P100	J-wt	5
		051115-19811-3	1-1/2" x 50 yds.	P80	J-wt	5
		051115-19812-0	1-1/2" x 50 yds.	P60	X-wt	5
		051115-19813-7	1-1/2" x 50 yds.	P50	X-wt	5
		051115-19814-4	2" x 50 yds.	P400	J-wt	5
		051115-19815-1	2" x 50 yds.	P320	J-wt	5
		051115-19816-8	2" x 50 yds.	P280	J-wt	5
		051115-19817-5	2" x 50 yds.	P240	J-wt	5
		051115-19818-2	2" x 50 yds.	P220	J-wt	5
		051115-19819-9	2" x 50 yds.	P180	J-wt	5
		051115-19820-5	2" x 50 yds.	P150	J-wt	5
		051115-19821-2	2" x 50 yds.	P120	J-wt	5
	051115-19822-9	2" x 50 yds.	P100	J-wt	5	
	051115-19823-6	2" x 50 yds.	P80	J-wt	5	
	051115-19824-3	2" x 50 yds.	P60	X-wt	5	
	051115-19825-0	2" x 50 yds.	P50	X-wt	5	
	051115-19826-7	2" x 50 yds.	P40	X-wt	5	


## Scotch-Brite™ Multi-Flex Abrasive Sheet Roll

	Description	UPC	Size	Grade	Color	Sheets/RI	Rolls/Cs
 <ul style="list-style-type: none"> <li>• Ultra flexible and conformable for cleaning or fine finishing</li> <li>• Works quickly in sealer sanding, denibbing, defuzzing, highlighting and top coat finishing applications (both solvent- and water-based)</li> <li>• Convenient dispenser</li> </ul>		051131-07521-4	8" x 20 ft	A VFN	Maroon	60	4
		051131-07522-1	8" x 20 ft	S ULF	Gray	60	4


## 3M™ Utility Cloth Roll 211K

	Description	UPC	Size	Grade	Backing	Cs
 <ul style="list-style-type: none"> <li>• Aluminum oxide</li> <li>• Good flexibility</li> <li>• Excellent durability, even when rolled, twisted or folded</li> <li>• General purpose sanding; fine sanding and polishing applications; removing rust, scale and contaminants; surface preparation for paints and coatings</li> </ul>		051144-05000-0	1" x 50 yds.	500	J-wt	5
		051144-05001-7	1" x 50 yds.	400	J-wt	5
		051144-05002-4	1" x 50 yds.	320	J-wt	5
		051144-05020-8	1-1/2" x 50 yds.	500	J-wt	5
		051144-05021-5	1-1/2" x 50 yds.	400	J-wt	5
		051144-05022-2	1-1/2" x 50 yds.	320	J-wt	5
		051144-05040-6	2" x 50 yds.	500	J-wt	5
		051144-05041-3	2" x 50 yds.	400	J-wt	5
	051144-05042-0	2" x 50 yds.	320	J-wt	5	

## 3M™ Insta-Lok™ Hand Block

	Description	UPC	Part No.	Size	Color	Face Color	Hook Type	Case Qty
 <ul style="list-style-type: none"> <li>• Plastic holders used to drive nonwoven surface conditioning products</li> <li>• Firm</li> </ul>		048011-04013-4	952	3-3/8" x 5-3/4"	Blue	Tan	4	1

## 3M™ Forked Spindle

	Description	UPC	Part No.	Slot Width	Slot Length	Shank Size	Overall Length	Cs
 <ul style="list-style-type: none"> <li>• Forked spindle holder for coated abrasive strips to clean and polish inner diameters and other tight areas</li> </ul>		051144-45121-0	45121	1/16"	3/4"	1/4"	3"	10

## Scotch-Brite™ Roloc™ Bristle Disc

	Description	UPC	Size	Grade	Color	Cs
 <ul style="list-style-type: none"> <li>• Tapered</li> <li>• Molded, abrasive filled bristle disc</li> <li>• Consistent supply of abrasives</li> <li>• Cleans and strips with light pressure</li> <li>• Use for deburring, blending, finishing, polishing, cleaning and for coating, defect, scratch and rust removal</li> <li>• Use on aluminum and metal</li> </ul>		048011-18730-3	2" x 5/8"	50	Green	40
		048011-18732-7	2" x 5/8"	80	Yellow	40
		048011-18733-4	2" x 5/8"	120	White	40
		048011-18734-1	3" x 5/8"	50	Green	40
		048011-18736-5	3" x 5/8"	80	Yellow	40
		048011-18737-2	3" x 5/8"	120	White	40

## THREE EASY WAYS TO CONTACT US FOR ALL 3M INDUSTRIAL PRODUCTS:

3M can provide additional products and accessories to meet your needs. Please contact us in any of the following ways that you prefer:

- 1 Contact your local 3M authorized distributor directly. For information on a 3M distributor or sales representative in your area, contact us at the numbers below:

For the contiguous 48 United States:

Call . . . . . 1-866-279-1288

Fax . . . . . 1-877-369-2923

- 2 E-mail us at [3MIndustrial@mmm.com](mailto:3MIndustrial@mmm.com)
- 3 For additional 3M product information call 1-800-3M Helps or visit us at [www.3M.com](http://www.3M.com)

Prices subject to change without notice.

---

### Important Notice to Purchaser

**Safety Information:** Always read and follow all safety information included with the product. Do not exceed maximum operating RPM's. Use guards provided with machine. Follow safety operation procedures posted in work areas.

**Product Use:** All statements, technical information and recommendations contained in this document are based upon tests or experience that 3M believes are reliable. However, many factors beyond 3M's control can effect the use and performance of a 3M product in a particular application, including the conditions under which the product is used and the time and environments conditions in which the product is expected to perform. Since these factors are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for the user's method of application.

**Warranty and Limited Remedy:** Unless stated otherwise in 3M's product literature, packaging inserts or product packaging for individual products, 3M warrants that each 3M product meets the applicable specifications at the time 3M ships the product. Individual products may have additional or different warranties as stated on product literature, package inserts or product packages. 3M MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's application. If the 3M product is defective within the warranty period, your exclusive remedy and 3M's and seller's sole obligation will be at 3M's option, to replace the product or refund the purchase price.

**Limitation of Liability:** Except where prohibited by law, 3M and seller will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental, or consequential, regardless of the legal theory asserted, including warranty, contract, negligence, or strict liability.

---



**Abrasive Systems Division**  
3M Center, Building 223-6S-03  
St. Paul, MN 55144-1000  
1-866-279-1235  
[www.3M.com/abrasives](http://www.3M.com/abrasives)

Please Recycle.  
© 3M 2012. All rights reserved.

3M, Finesse-it, Hookit, Imperial, Insta-Lok, Perfect-it, Roloc, Scotch-Brite, Stikit, Superbuff, Trizact and Wetordry are all trademarks of 3M. Used under license in Canada. All other trademarks of property of their respective owners.