

Request for: Quote Order

Company: _____
 Customer #: _____ Contact: _____
 Address: _____
 City, State, Zip: _____
 Phone #: _____
 Fax #: _____
 Email: _____

Email (or fax) form to your authorized distributor:

Distributor Name: _____
 Branch Location: _____
 Email/ Fax: _____



Ph: (877)332-3396 Fx: (704)332-3267
 www.element-designs.com orders@element-designs.com


Date: _____ PO #: _____


① **Profile Type** (select one)
 BS001 (50mm x 50mm)
 BS002 (30mm x 30mm)


② **Profile Finish** (select one)
Anodized Finish
 Natural Anodized
 Brushed Stainless Steel
Powdercoat Finish
 Oil Rubbed Bronze
 White Black


③ **Base System Support Options**
 Leveling Feet (up to 2" adjustment)
 Casters (not adjustable) *BS001 only*
 No Feet, No Caps
 Caps Only


Base System Codes (see reverse side for detailed layouts)
 Custom configurations available - please contact Element Designs


Base 1.0 


Base 1.1 

Base 1.2 

Base 1.3 

Base 1.4 

Base 2.0 

Base 2.1 


| Item | Qty. | Base System Code | in/mm | Overall Dimensions | | | (To center of cross rail - Standard is evenly spaced) | | | | Price | Ext. Price | |
|------|------|------------------|-------|--------------------|-------|-------|---|---|---|---|-------|------------|--|
| | | | | Height | Depth | Width | 1 | 2 | 3 | 4 | | | |
| 1 | | | | | | | H: | | | | | | |
| | | | | | | | D: | | | | | | |
| | | | | | | | W: | | | | | | |
| 2 | | | | | | | H: | | | | | | |
| | | | | | | | D: | | | | | | |
| | | | | | | | W: | | | | | | |
| 3 | | | | | | | H: | | | | | | |
| | | | | | | | D: | | | | | | |
| | | | | | | | W: | | | | | | |

Notes or Special Instructions:

| | |
|-----------------|--|
| Subtotal | |
| Shipping | |
| Total | |


Base Layouts 1.0 - 1.4

Base 1.0




Min. H=6" Max. H=16"
Min. D=12" Max. D=48"
Min. W=12" Max. W=48"

Base 1.1




Min. H=6" Max. H=16"
Min. D=12" Max. D=48"
Min. W=12" Max. W=72"
Min. W1-W2=12" Max. W1-W2=48"

Base 1.2




Min. H=6" Max. H=16"
Min. D=12" Max. D=48"
Min. W=12" Max. W=96"
Min. W1-W2=12" Max. W1-W2=48"

Base 1.3



Min. H=6" Max. H=16"
Min. D=12" Max. D=48"
Min. W=12" Max. W=108"
Min. W1-W3=12" Max. W1-W3=48"


Base 1.4



Min. H=6" Max. H=16"
Min. D=12" Max. D=48"
Min. W=12" Max. W=120"
Min. W1-W4=12" Max. W1-W4=48"


Base Layouts 2.0 & 2.1

Base 2.0



Min. H=16" Max. H=48"
Min. D=12" Max. D=48"
Min. W=12" Max. W=48"
Min. H1=6" Max. H1=24"

Base 2.1



Min. H=16" Max. H=48"
Min. D=12" Max. D=48"
Min. W=24" Max. W=72"
Min. H1=6" Max. H1=24"
Min. W1=12" Max. W1=48"

- ° Custom base system configurations available - please contact Element Designs.
- ° Height (H), Depth (D), & Width (W) are the overall base system dimensions.
 - ° Exterior sectional dimensions are from outside edge to center line of first cross brace (H1, D1, and W1).
 - ° Interior sectional dimensions are from center to center of cross brace (W2, W3, and W4)
- ° Height (H) & Sectional Height (H1) is to bottom of leveling foot or castor.
- ° Use of casters versus leveling feet will add 2" to H & H1 minimums.
- ° Base system will ship sub-assembled with all required hardware.
- ° Attach assembled base system to cabinet with brackets, screws, or double sided tape.
- ° It is the responsibility of the customer to provide accurate dimensions for the production of Element Designs' base systems.

Technical specifications are subject to change without notice