


# 3M

3M Industrial Products  
for Woodworking



## FINISHING & ACCESSORIES

*Distributed by:*





## Table of Contents

Belts .....	3
Discs .....	5
Power Tools .....	9
Solid Surface .....	11
Hand Sanding .....	13
Accessories .....	15
Painting and Spray Equipment .....	17
Adhesives and Bonding .....	18
Tapes and Masking .....	20
Protective Products .....	22
Safety .....	23
Miscellaneous Solutions .....	27



# Belts

## 3M™ Wide Belts—Cloth

### General Use

#### 340D

- Premium aluminum oxide on a durable X wt. cotton cloth backing
- An open coat belt that provides good cut with less loading
- Excellent all around abrasive belt for everyday use



GRADE	WIDTH X LENGTH	STOCKING UNIT	A&M ITEM #
80	37" X 60"	CASE / 3 per case	<b>3M66642</b>
P100	37" X 60"	CASE / 5 per case	<b>3M34291</b>
P120	37" X 60"	CASE / 5 per case	<b>3M34290</b>
P150	37" X 60"	CASE / 5 per case	<b>3M34289</b>
80	37" X 75"	CASE / 3 per case	<b>3M66638</b>
P100	37" X 75"	CASE / 5 per case	<b>3M66639</b>
P120	37" X 75"	CASE / 5 per case	<b>3M30418</b>
P150	37" X 75"	CASE / 5 per case	<b>3M66649</b>
P180	37" X 75"	CASE / 5 per case	<b>3M30419</b>
P220	37" X 75"	CASE / 5 per case	<b>3M66651</b>

## 3M™ Wide Belts—Cloth

### Best

#### 970DZ

- 3M Ceramic abrasive grain on a heavy cloth backing, open coat
- Provides extremely long life and uniform finish
- Performs well on all wood types
- Reduced burning when performing "end-grain" sanding applications
- 3M dust management technology reduces static and airborne dust levels when used with an efficient dust-collection system



GRADE	WIDTH X LENGTH	STOCKING UNIT	A&M ITEM #
80	37" x 75"	CASE / 3 per case	<b>3M55809</b>
P100	37" x 75"	CASE / 5 per case	<b>3M55810</b>
P120	37" x 75"	CASE / 5 per case	<b>3M55811</b>
P150	37" x 75"	CASE / 5 per case	<b>3M55812</b>

## 3M™ Wide Belts—Paper

### Better

#### 364UZ

- Premium aluminum oxide mineral on a heavy F wt. paper backing
- An open coat belt that provides good cut with less loading
- Excellent general use, long lasting paper belt
- 3M dust management technology reduces static and airborne dust levels when used with an efficient dust-collection system



GRADE	WIDTH X LENGTH	STOCKING UNIT	A&M ITEM #
P100	37" X 75"	CASE / 5 per case	<b>3M28581</b>
P120	37" X 75"	CASE / 5 per case	<b>3M28583</b>
P150	37" X 75"	CASE / 5 per case	<b>3M28590</b>
P180	37" X 75"	CASE / 5 per case	<b>3M28594</b>

## 3M™ Wide Belts—Paper

### Better

#### 366UZ

- Premium aluminum oxide mineral on a heavy F wt. paper backing
- A closed coat belt that provides great finish
- Excellent general use, long lasting paper belt
- 3M dust management technology reduces static and airborne dust levels when used with an efficient dust-collection system



GRADE	WIDTH X LENGTH	STOCKING UNIT	A&M ITEM #
P220	37" X 75"	CASE / 5 per case	<b>3M28676</b>

## 3M™ Wide Belts—Paper

### Best

#### 966UZ

- 3M Ceramic abrasive grain on a heavy F wt. paper
- Provides extremely long life and uniform finish
- Cup resistant treatment allows belt to lay flatter
- 3M dust management technology reduces static and airborne dust levels when used with an efficient dust-collection system



GRADE	WIDTH X LENGTH	STOCKING UNIT	A&M ITEM #
P120	37" X 75"	CASE / 5 per case	<b>3M28807</b>
P150	37" x 75"	CASE / 5 per case	<b>3M28826</b>
P180	37" x 75"	CASE / 5 per case	<b>3M28835</b>
P220	37" x 75"	CASE / 5 per case	<b>3M28843</b>



## Belts

### 3M™ Portable Tool Belts—Cloth General Use

#### 340D

- Premium aluminum oxide on a durable X wt. cotton cloth backing
- An open coat belt that provides good cut with less loading
- Excellent all around abrasive belt for everyday use



GRADE	WIDTH X LENGTH	STOCKING UNIT	A&M ITEM #
60	3" X 21"	BOX / 10 per box	<b>3M27498</b>
80	3" X 21"	BOX / 10 per box	<b>3M27497</b>
P100	3" X 21"	BOX / 10 per box	<b>3M27496</b>
P120	3" X 21"	BOX / 10 per box	<b>3M27495</b>
60	3" x 24"	BOX / 10 per box	<b>3M27473</b>
80	3" x 24"	BOX / 10 per box	<b>3M27472</b>
P100	3" x 24"	BOX / 10 per box	<b>3M27471</b>
P120	3" x 24"	BOX / 10 per box	<b>3M27470</b>
60	4" x 24"	BOX / 10 per box	<b>3M27463</b>
80	4" x 24"	BOX / 10 per box	<b>3M27462</b>
P100	4" x 24"	BOX / 10 per box	<b>3M27461</b>
P120	4" x 24"	BOX / 10 per box	<b>3M27460</b>

### 3M™ Portable Tool Belts—Cloth Best

#### 761D

- Blended 3M Ceramic abrasive grain and premium aluminum oxide minerals on a heavy Y wt. cloth backing
- Film splice allows for the belt to be run bi-directional
- Designed to provide you with the lowest possible manufacturing costs



GRADE	WIDTH X LENGTH	STOCKING UNIT	A&M ITEM #
P60	3" X 21"	BOX / 5 per box	<b>3M81400</b>
P80	3" X 21"	BOX / 5 per box	<b>3M81401</b>
P100	3" X 21"	BOX / 5 per box	<b>3M81402</b>
P120	3" X 21"	BOX / 5 per box	<b>3M81403</b>
P150	3" x 21"	BOX / 5 per box	<b>3M81404</b>
P60	3" x 24"	BOX / 5 per box	<b>3M81411</b>
P80	3" x 24"	BOX / 5 per box	<b>3M81412</b>
P100	3" x 24"	BOX / 5 per box	<b>3M81413</b>
P120	3" x 24"	BOX / 5 per box	<b>3M81414</b>
P150	3" x 24"	BOX / 5 per box	<b>3M81415</b>
P60	4" x 24"	BOX / 5 per box	<b>3M81430</b>
P80	4" x 24"	BOX / 5 per box	<b>3M81431</b>
P100	4" x 24"	BOX / 5 per box	<b>3M81432</b>
P120	4" x 24"	BOX / 5 per box	<b>3M81433</b>
P150	4" x 24"	BOX / 5 per box	<b>3M81434</b>



## Discs

### 3M™ Clean Sanding Discs

Better

#### 236U

- Aluminum oxide, load resistant coating on C wt. paper
- 3M™ Hookit™ Disc with precise hole design for improved dust extraction



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P80	5"	BOX / 50 per box	<b>3M55598</b>
P100	5"	BOX / 50 per box	<b>3M55599</b>
P120	5"	BOX / 50 per box	<b>3M55600</b>
P150	5"	BOX / 50 per box	<b>3M55601</b>
P180	5"	BOX / 50 per box	<b>3M55500</b>
P220	5"	BOX / 50 per box	<b>3M55501</b>
P320	5"	BOX / 50 per box	<b>3M55503</b>
P400	5"	BOX / 50 per box	<b>3M55504</b>
P500	5"	BOX / 50 per box	<b>3M55505</b>

### 3M™ Clean Sanding Discs

Better

#### 360L

- Aluminum oxide on film backing
- 3M™ Hookit™ Disc with precise hole design for improved dust extraction



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P220	5"	BOX / 100 per box	<b>3M01704</b>
P320	5"	BOX / 100 per box	<b>3M01707</b>
P400	5"	BOX / 100 per box	<b>3M01708</b>
P500	5"	BOX / 100 per box	<b>3M01709</b>
P800	5"	BOX / 100 per box	<b>3M01711</b>
P1000	5"	BOX / 100 per box	<b>3M01712</b>

### 3M™ Clean Sanding Discs

Best

#### 735U

- Blended Ceramic Aluminum Oxide Hookit™ Disc with precise hole design for improved dust extraction
- Constructed on a C wt. paper backing
- Features a load resistant coating



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P80	5"	BOX / 50 per box	<b>3M20907</b>
P100	5"	BOX / 50 per box	<b>3M20908</b>
P120	5"	BOX / 50 per box	<b>3M20909</b>
P150	5"	BOX / 50 per box	<b>3M20910</b>
P180	5"	BOX / 50 per box	<b>3M20911</b>
P220	5"	BOX / 50 per box	<b>3M20912</b>

### 3M™ NX PSA Disc with Tabbed Liner

General Use

- An aluminum oxide on a C wt. (P100-P800) or D wt. (40, P60, P80) paper backing
- Load resistant coating
- Excellent for sanding on whitewood, primer, paint sealers and topcoats



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P60	5" x NH	BOX / 50 per box	<b>3M31212</b>
P80	5" x NH	BOX / 50 per box	<b>3M31213</b>
P100	5" x NH	BOX / 50 per box	<b>3M31214</b>
P120	5" x NH	BOX / 50 per box	<b>3M31215</b>
P150	5" x NH	BOX / 50 per box	<b>3M31216</b>
P180	5" x NH	BOX / 50 per box	<b>3M31217</b>
P220	5" x NH	BOX / 50 per box	<b>3M31218</b>





## Discs

### 3M™ Stikit™ Disc Rolls—Paper General Use

#### 426U

- Silicon carbide on an A wt. paper backing
- Load resistant coating
- Excellent for white wood sanding, sealer sanding, solid surface or where fine finish is critical



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
80	5" x NH	ROLL / 125 per roll	<b>3M27775</b>
100	5" x NH	ROLL / 125 per roll	<b>3M27776</b>
120	5" x NH	ROLL / 125 per roll	<b>3M27777</b>
150	5" x NH	ROLL / 125 per roll	<b>3M27778</b>
180	5" x NH	ROLL / 125 per roll	<b>3M27779</b>
220	5" x NH	ROLL / 125 per roll	<b>3M27780</b>
240	5" x NH	ROLL / 125 per roll	<b>3M27781</b>
280	5" x NH	ROLL / 125 per roll	<b>3M27782</b>
320	5" x NH	ROLL / 125 per roll	<b>3M27783</b>
400	5" x NH	ROLL / 125 per roll	<b>3M27784</b>

### 3M™ Stikit™ Tab Liner Disc —Paper Best

#### 735U

- C wt. paper
- Load resistant coating
- Sharp-cutting and durable
- Ideal for wood, soft metals, fiberglass and solid surface



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P80	5" x NH	BOX / 50 per box	<b>3M20760</b>
P100	5" x NH	BOX / 50 per box	<b>3M20762</b>
P120	5" x NH	BOX / 50 per box	<b>3M20764</b>
P150	5" x NH	BOX / 50 per box	<b>3M20766</b>
P180	5" x NH	BOX / 50 per box	<b>3M20768</b>
P220	5" x NH	BOX / 50 per box	<b>3M20770</b>

### 3M™ Stikit™ Disc Rolls—Paper Better

#### 236U

- Aluminum oxide on a C wt. paper backing
- Durable, tear resistant backing
- Open coat to reduce loading
- Convenient disc roll form



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P80	5" x NH	ROLL / 100 per roll	<b>3M55540</b>
P100	5" x NH	ROLL / 100 per roll	<b>3M55541</b>
P120	5" x NH	ROLL / 100 per roll	<b>3M55542</b>
P150	5" x NH	ROLL / 100 per roll	<b>3M55543</b>
P180	5" x NH	ROLL / 100 per roll	<b>3M55544</b>
P220	5" x NH	ROLL / 100 per roll	<b>3M55545</b>
P320	5" x NH	ROLL / 100 per roll	<b>3M55547</b>
P400	5" x NH	ROLL / 100 per roll	<b>3M55548</b>
P500	5" x NH	ROLL / 100 per roll	<b>3M55549</b>

### 3M™ Stikit™ Film Disc Better

#### 375L

- Durable film construction provides tear resistant properties
- Premium abrasive and load resistant coating provide fast cut and long life
- Flexible, smooth film backing conforms to contours and rounded edges
- Produces a uniform and consistent finish because of the flatness of the film backing



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
60	5" x NH	BOX / 50 per box	<b>3M55689</b>
P80	5" x NH	BOX / 50 per box	<b>3M55690</b>
P100	5" x NH	BOX / 50 per box	<b>3M55691</b>
P120	5" x NH	BOX / 50 per box	<b>3M55692</b>
P150	5" x NH	BOX / 50 per box	<b>3M55693</b>
P180	5" x NH	BOX / 50 per box	<b>3M55694</b>
P220	5" x NH	BOX / 50 per box	<b>3M55695</b>
P320	5" x NH	BOX / 50 per box	<b>3M55698</b>
P400	5" x NH	BOX / 50 per box	<b>3M55699</b>



## Discs

### 3M™ Hookit™ Discs—Paper

General Use

#### 3M™ NX Hook-and-Loop Paper Disc

- An aluminum oxide on a C wt (P100-P800) or D wt (40, P60, P80) paper backing
- Load resistant coating
- Excellent for sanding on whitewood, primer, paint sealers and topcoats



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P60	5" x NH	BOX / 50 per box	<b>3M31196</b>
P80	5" x NH	BOX / 50 per box	<b>3M31197</b>
P100	5" x NH	BOX / 50 per box	<b>3M31198</b>
P120	5" x NH	BOX / 50 per box	<b>3M31199</b>
P150	5" x NH	BOX / 50 per box	<b>3M31200</b>
P180	5" x NH	BOX / 50 per box	<b>3M31201</b>
P220	5" x NH	BOX / 50 per box	<b>3M31202</b>
P320	5" x NH	BOX / 50 per box	<b>3M27686</b>
P400	5" x NH	BOX / 50 per box	<b>3M27688</b>

### 3M™ Hookit™ Discs—Paper

Better

#### 236U

- Aluminum oxide on a C wt. paper backing
- Load resistant coating



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P80	5" x NH	BOX / 50 per box	<b>3M55579</b>
P100	5" x NH	BOX / 50 per box	<b>3M55580</b>
P120	5" x NH	BOX / 50 per box	<b>3M55581</b>
P150	5" x NH	BOX / 50 per box	<b>3M55582</b>
P180	5" x NH	BOX / 50 per box	<b>3M55583</b>
P220	5" x NH	BOX / 50 per box	<b>3M55584</b>
P320	5" x NH	BOX / 50 per box	<b>3M55586</b>
P400	5" x NH	BOX / 50 per box	<b>3M55587</b>

### 3M™ Hookit™ Discs—Film

Better

#### 375L

- Durable film construction provides tear resistant properties
- Premium abrasive and load resistant coating provide fast cut and long life
- Flexible, smooth film backing conforms to contours and rounded edges
- Produces a uniform and consistent finish because of the flatness of the film backing



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P80	5" x NH	BOX / 50 per box	<b>3M55676</b>
P100	5" x NH	BOX / 50 per box	<b>3M55677</b>
P120	5" x NH	BOX / 50 per box	<b>3M55678</b>
P150	5" x NH	BOX / 50 per box	<b>3M55679</b>
P180	5" x NH	BOX / 50 per box	<b>3M55680</b>
P220	5" x NH	BOX / 50 per box	<b>3M55681</b>
P320	5" x NH	BOX / 50 per box	<b>3M55663</b>
P400	5" x NH	BOX / 50 per box	<b>3M55665</b>

### 3M™ Hookit™ Discs—Paper

Best

#### 735U

- 3M Ceramic abrasive grain on a C wt. paper backing
- Excellent cut and long product life
- For whitewood random orbital sanding applications



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P80	5" x NH	BOX / 50 per box	<b>3M20726</b>
P100	5" x NH	BOX / 50 per box	<b>3M20728</b>
P120	5" x NH	BOX / 50 per box	<b>3M20730</b>
P150	5" x NH	BOX / 50 per box	<b>3M20732</b>
P180	5" x NH	BOX / 50 per box	<b>3M20734</b>
P220	5" x NH	BOX / 50 per box	<b>3M20736</b>
P80	5" x 5 Hole	BOX / 50 per box	<b>3M20727</b>
P100	5" x 5 Hole	BOX / 50 per box	<b>3M20729</b>
P120	5" x 5 Hole	BOX / 50 per box	<b>3M20731</b>
P150	5" x 5 Hole	BOX / 50 per box	<b>3M20733</b>
P180	5" x 5 Hole	BOX / 50 per box	<b>3M20792</b>
P220	5" x 5 Hole	BOX / 50 per box	<b>3M20735</b>



# Discs

## 3M™ Hookit™ Discs—Film

Best

### 3M™ Microfinishing Film 366L

- Provides greater efficiency, longer product life
- Aluminum oxide, high performance, micron-graded, polyester film backing
- Aggressive cut with uniform finish and flexible film backing make it a great choice for contoured surfaces
- Works well for most wood types and applications
- Load resistant coating



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
15 micron	5" x NH	ROLL / 50 per roll	<b>3M84162</b>
30 micron	5" x NH	ROLL / 50 per roll	<b>3M84164</b>
60 micron	5" x NH	ROLL / 50 per roll	<b>3M84167</b>
100 micron	5" x NH	ROLL / 50 per roll	<b>3M84169</b>





# Power Tools

## 3M™ Random Orbital Sanders

### 3M™ Elite Non-Vacuum Random Orbital Sanders

Experience comfort and power with these precision-balanced, smooth-running pneumatic tools that are designed to last. Use with a wide selection of 3M abrasives and accessories to meet all your sanding needs.



A&M ITEM #	Model #	Tool Dia. Inch (mm)	Max RPM	Orbit Dia. Inch (mm)	Motor HP (W)	Air Flow Rate SCFM (LPM)	Weight Pound (kg)	Length Inch (mm)	Height Inch (mm)	Pad Included
<b>3M28497</b>	28497	5 (127)	12,000	3/16 (5)	.28 (209)	17 (481)	1.76 (.8)	6.77 (172)	3.58 (91)	Stikit™ 20351
<b>3M28708</b>	28708	5 (127)	12,000	3/16 (5)	.28 (209)	17 (481)	1.76 (.8)	6.77 (172)	3.58 (91)	Hookit™ 20352
<b>3M28498</b>	28498	5 (127)	12,000	3/32 (2.5)	.28 (209)	17 (481)	1.72 (.781)	6.77 (172)	3.58 (91)	Stikit™ 20351

### 3M™ Non-Vacuum Random Orbital Sanders

Experience comfort and power with these precision-balanced, smooth-running pneumatic tools that are designed to last. Use with a wide selection of 3M abrasives and accessories to meet all your sanding needs. 3M™ Stikit™ Disc Pad included.



A&M ITEM #	Model #	Tool Dia. Inch (mm)	Max RPM	Orbit Dia. Inch (mm)	Motor HP (W)	Air Flow Rate SCFM (LPM)	Weight Pound (kg)	Length Inch (mm)	Height Inch (mm)	Pad Included
<b>3M20317</b>	20317	5 (127)	12,000	3/16 (5)	.24 (179)	17 (481)	1.65 (.75)	5.89 (149.6)	3.26 (82.9)	Stikit™ 20351

### 3M™ Elite Self-Generated Vacuum Random Orbital Sanders\*

Take dust management to the next level with these powerful self-generated vacuum tools, featuring 3M-patented Clean Sanding system with improved, HEPA-rated filter bag.



A&M ITEM #	Model #	Tool Dia. Inch (mm)	Max RPM	Orbit Dia. Inch (mm)	Motor HP (W)	Air Flow Rate SCFM (LPM)	Weight Pound (kg)	Length Inch (mm)	Height Inch (mm)	Pad Included
<b>3M28514</b>	28514	5 (127)	12,000	3/16 (5)	.28 (209)	17 (481)	1.87 (.85)	9.21 (234)	3.64 (92.6)	Hookit™ 20353
<b>3M28515</b>	28515	5 (127)	12,000	3/32 (2.5)	.28 (209)	17 (481)	1.83 (.833)	9.21 (234)	3.64 (92.6)	Hookit™ 20353

\*One (1) each of the following included: 3M™ Clean Sanding Filter Bag, Filter Bag Adapter, Hose Seal



# Power Tools

## 3M™ Random Orbital Sanders

### 3M™ Electric Random Orbital Sander Kits

Kits include 3M™ Electric Sander, 3M™ Power Supply w/AC Power Cord (PN28436), 3M™ Power Cord (PN28434), Disc Pad (non-Vacuum: 3M™ Stikit™ Disc Pad; Central Vacuum: 3M™ Hookit™ Clean Sanding Disc Pad) and canvas bag.



A&M ITEM #	Model #	Vacuum	Tool Dia. Inch (mm)	Max RPM	Orbit Dia. Inch (mm)	Motor HP (W)	Weight Pound (kg)	Length Inch (mm)	Height Inch (mm)	Pad Included
3M28523	28523	Non-Vacuum Kit	5 (127)	10,000	3/32 (2.5)	.20-.24 (149-179)	1.92 (.875)	6.81 (173)	3.82 (97.2)	Stikit™ 20351
3M28524	28524	Non-Vacuum Kit	5 (127)	10,000	3/16 (5)	.20-.24 (149-179)	1.98 (.9)	6.81 (173)	3.82 (97.2)	Stikit™ 20351

### 3M™ Electric Random Orbital Sanders\* (Sander Only)

Unique low profile and ergonomic design provide maximum control, reduced vibration, quiet operation, and more wrist support for greater operator comfort.



3M28430



3M28426

A&M ITEM #	Model #	Vacuum	Tool Dia. Inch (mm)	Max RPM	Orbit Dia. Inch (mm)	Motor HP (W)	Weight Pound (kg)	Length Inch (mm)	Height Inch (mm)	Pad Included
3M28430	28430	Central Kit	5 (127)	10,000	3/32 (2.5)	.20-.24 (149-179)	2.08 (.945)	8.42 (214)	3.8 (96.6)	Hookit™ 20353
3M28431	28431	Central Kit	5 (127)	10,000	3/16 (5)	.20-.24 (149-179)	2.12 (.965)	8.42 (214)	3.8 (96.6)	Hookit™ 20353
3M28426	28426	Non-Vacuum	5 (127)	10,000	3/32 (2.5)	.20-.24 (149-179)	1.92 (.875)	6.81 (173)	3.82 (97.2)	Stikit™ 20351
3M28427	28427	Non-Vacuum	5 (127)	10,000	3/16 (5)	.20-.24 (149-179)	1.98 (.9)	6.81 (173)	3.82 (97.2)	Stikit™ 20351

\*Sanders require use of Power Supply w/AC Power Cord (PN28436) and 3M™ Power cord (PN28434)

### 3M™ Power Cords and Power Supply

A&M ITEM #	Description
3M28434	3M™ Power Cord, Low Voltage, 18AWG, 12ft.
3M28435	3M™ Power Cord, Extra Long, Low Voltage, 24 ft.
3M28436	3M™ Power Supply with Power Cord
3M28478	3M™ AC Power Cord, 110 volt



3M28434



3M28435



3M28478



3M28436

### 3M™ Electric Variable Speed Polisher

Designed to compound, buff, and polish various substrates including paint, marine finishes, fiberglass gel coat, acrylics, and more.

3M28391



A&M ITEM #	Model #	Tool Dia. Inch (mm)	Max RPM	Motor	VAC	Shaft Size	Weight Pound (kg)	Length Inch (mm)	Height Inch (mm)
3M28391	28391	7 (178)	3,000	11 Amp	120	5/8-11 EXT	6.6 (2.99)	17 (431.8)	4.37 (110.9)
CHARLOTTE 800.822.6047	KNOXVILLE 877.786.3464	MARIETTA 800.548.7799	UPPER MARLBORO 800.733.8480	RICHMOND 800.895.6597	ORLANDO 800.432.3481	PINELLAS PARK 800.877.8551	FT. MYERS 866.448.1220	JACKSONVILLE 800.432.8864	



## Solid Surface

### 3M™ Trizact™ Film Discs 268XA/568XA

- Precisely shaped pyramids wear away continually, exposing fresh abrasive
- For glass defect repair, polyester and acrylic solid surface finishing
- Fewer processing steps, higher gloss level, effective surface leveling
- Requires little water, easy touch up



GRADE	DIAMETER	COLOR	STOCKING UNIT	A&M ITEM #
<b>3M™ Hookit™ Discs</b>				
A35	5" x NH	Green	BOX / 50 per box	<b>3M27487</b>
A10	5" x NH	Blue	BOX / 50 per box	<b>3M27488</b>
A5	5" x NH	Orange	BOX / 50 per box	<b>3M27489</b>
None	5" x NH	White	BOX / 50 per box	<b>3M274966</b>

### Scotch-Brite™ Production Clean and Finish Discs

- Delivers consistent cut, long life and an excellent finish
- Used on aluminum, stainless steel, plastics, wood and fiberglass for finishing, paint preparation, surface blending and scuffing



GRADE	DIAMETER	STOCKING UNIT	A&M ITEM #
A VFN	5"	EACH	<b>3M29292</b>
S ULF	5"	EACH	<b>3M29294</b>

### Scotch-Brite™ High Performance Cloth

- Ribbon-shaped fibers lift dirt and grease instead of rolling over it
- Dirt and particles are trapped within knitted tufts of the fibers
- Rows and rows of tufts and valleys trap large and small particles



SIZE	COLOR	MATERIAL	STOCKING UNIT	A&M ITEM #
17" x 19.5"	White	Polyester/Nylon	BOX / 50 per box	<b>3M26224</b>

### 3M™ Finesse-it™ Finishing Material Easy Clean-up

- Use with 3M™ Polishing Film 968M to achieve a high gloss (80 and higher) on solid surface materials
- Will buff out 1200 and 1500 grit scratches with ease



SIZE	COLOR	STOCKING UNIT	A&M ITEM #
Liter	White	EACH	<b>3M81235</b>
Gallon	White	EACH	<b>3M13084</b>

### 3M™ Finesse-it™ Final Finish

- Use to achieve high gloss on solid surface materials
- Exceptional product for buffing out the haze or cloudy effect



SIZE	COLOR	STOCKING UNIT	A&M ITEM #
Liter	Gray	EACH	<b>3M82877</b>
Gallon	Gray	EACH	<b>3M82878</b>

### 3M™ Finesse-it™ Compounding Material

- For use in top coat rubbing and other woodworking applications requiring satin, semi-gloss and high gloss finishes



SIZE	COLOR	STOCKING UNIT	A&M ITEM #
Gallon	Ivory	EACH	<b>3M77340</b>

### 3M™ Perfect-it™ Rubbing Compound

- Excellent cutting compound combined with a fine finish
- Removes P1200 and finer sand scratches without filling
- Excellent handling characteristics
- VOC content less than 17%



SIZE	STOCKING UNIT	A&M ITEM #
Quart	EACH	<b>3M06085</b>

### 3M™ Perfect-it™ Machine Polish

- Removes swirls left behind from compounding
- Less smearing and easy cleanup



SIZE	STOCKING UNIT	A&M ITEM #
Quart	EACH	<b>3M06064</b>



## Solid Surface

### 3M™ Perfect-it™ Ultrafine Machine Polish

- Removes fine swirls after machine polish application



SIZE	STOCKING UNIT	A&M ITEM #
Quart	EACH	<b>3M06068</b>

### 3M™ Perfect-it™ Clean and Shine

- Mist on and wipe off
- Cleans compound residue
- Provides high gloss shine
- Contains no silicone



SIZE	STOCKING UNIT	A&M ITEM #
16 oz	EACH	<b>3M06084</b>

### 3M™ Perfect-it™ Wool Compounding Pad

- 100% Wool Compounding Pad used to refine P1200 sand scratches or finer
- For use with 3M compounds and 3M™ Quick Connect Adaptor



SIZE	DESCRIPTION	STOCKING UNIT	A&M ITEM #
9"	Wool/2-Sided	EACH	<b>3M05753</b>

### 3M™ Perfect-it™ Foam Polishing Pads

- Double sided ultrafine foam polishing pad with quick connect and disconnect
- Provides a swirl free finish with 3M™ Perfect-It™ Ultrafine Machine Polish



SIZE	DESCRIPTION	STOCKING UNIT	A&M ITEM #
8"	Foam/2-Sided	EACH	<b>3M05707</b>
8"	Ultrafine; Foam/2-Sided	EACH	<b>3M05708</b>

### 3M™ Perfect-it™ Foam Compounding Pad

- Foam Compounding Pad used to remove sand scratches
- For use with 3M compounds and 3M™ Quick Connect Adapter



SIZE	DESCRIPTION	STOCKING UNIT	A&M ITEM #
8"	Foam/2-Sided	EACH	<b>3M05706</b>

### 3M™ Quick Connect Adapter

- Easy-to-use buffing tool adaptor used for quickly connecting and disconnecting buffing pads from the buffing tool
- 5/8-11 threads



DESCRIPTION	STOCKING UNIT	A&M ITEM #
Quick Connect Adapter	EACH	<b>3M05752</b>

### 3M™ Conditioning Brush

- Designed to remove residue from foam and wool buffing pads



DESCRIPTION	STOCKING UNIT	A&M ITEM #
Brush	EACH	<b>3M05761</b>



# Hand Sanding

## 3M™ Sanding Sponges Best

### 3M™ Softback Sanding Sponges

- A perfect solution for sanding wood, paint, metal, plastic and drywall
- Engineered with abrasive on one side
- Conformable, extremely flexible and convenient
- Available in a variety of grades
- Can be used for either dry or wet sanding
- Rinse and reuse



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
Super Fine	5.5" x 4.5" x 3/16"	BOX / 20 per box	<b>3M02602</b>
Fine	5.5" x 4.5" x 3/16"	BOX / 20 per box	<b>3M02604</b>
Medium	5.5" x 4.5" x 3/16"	BOX / 20 per box	<b>3M02606</b>

## 3M™ Sanding Sponges General Use

### 3M™ Full Size Sanding Sponges

- Ideal for dry or wet sanding of wood, paint, metal, plastic and drywall
- Abrasive on all four sides
- Conformable so you can get into tough to reach spots
- Rinse and reuse



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
Fine	3.75" x 2-5/8" x 1"	EACH	<b>3M00409</b>
Medium	3.75" x 2-5/8" x 1"	EACH	<b>3M00408</b>

## 3M™ Sanding Sponges General Use

### 3M™ High Flexibility Sponges

- Features abrasive on three sides
- Conformable, flexible and convenient sponges are great for sanding wood, paint, metal, plastic and drywall
- Can be used for either dry or wet sanding
- Rinse and reuse



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
Fine	3.75" x 2-5/8" x 1/2"	EACH	<b>3M00631</b>
Medium	3.75" x 2-5/8" x 1/2"	EACH	<b>3M00630</b>

## 3M™ Abrasive Sheets Better

### 3M™ Gold Sheet 216U

- Aluminum oxide on an A wt. paper backing
- Engineered for better performance
- Provides an aggressive open coat material that is load resistant
- Designed for final hand or machine sanding of wood
- Use for finishing, sealer sanding or defect repair



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P80	9" x 11"	BOX / 50 per box	<b>3M02549</b>
P100	9" x 11"	BOX / 50 per box	<b>3M02548</b>
P120	9" x 11"	BOX / 50 per box	<b>3M02547</b>
P150	9" x 11"	BOX / 50 per box	<b>3M02546</b>
P180	9" x 11"	BOX / 50 per box	<b>3M02545</b>
P220	9" x 11"	BOX / 50 per box	<b>3M02544</b>

## 3M™ Abrasive Sheets Better

### 3M™ Paper Sheet 336U/346U

- Aluminum oxide on a medium C wt. or D wt. paper backing (depends on grade)
- Load resistant open coat construction
- Works great on soft woods
- Good for general purpose sanding



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
100	9" x 11"	BOX / 100 per box	<b>3M02114</b>
120	9" x 11"	BOX / 100 per box	<b>3M02113</b>
150	9" x 11"	BOX / 100 per box	<b>3M02112</b>





# Hand Sanding

## 3M™ Abrasive Sheets

Best

### 3M™ Paper Sheet 405N

- Silicon carbide on an A wt. paper backing
- Engineered for better performance
- Open coat
- Fast cutting, load resistant
- Provides exceptional finishes and excellent conformability for contour sanding
- Ideal for dry sanding between coats of varnish and other wood finishes



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
150	9" x 11"	BOX / 100 per box	<b>3M10248</b>
180	9" x 11"	BOX / 100 per box	<b>3M10247</b>
220	9" x 11"	BOX / 100 per box	<b>3M10246</b>
240	9" x 11"	BOX / 100 per box	<b>3M10245</b>
280	9" x 11"	BOX / 100 per box	<b>3M10244</b>
320	9" x 11"	BOX / 100 per box	<b>3M10243</b>
360	9" x 11"	BOX / 100 per box	<b>3M10242</b>
400	9" x 11"	BOX / 100 per box	<b>3M10241</b>

## 3M™ Abrasive Sheets

Best

### 3M™ Flexible Abrasive Hookit™ Hand Sheets

- Great cut and finish performance
- High flexibility and conformability
- Face-side color differentiation by process
- Soft feel
- Accessory block included in every box



GRADE	SIZE	STOCKING UNIT	A&M ITEM #
P400	5.5" x 6.75"	BOX / 25 per box	<b>3M34337</b>
P600	5.5" x 6.75"	BOX / 25 per box	<b>3M34339</b>
P800	5.5" x 6.75"	BOX / 25 per box	<b>3M34340</b>
P1000	5.5" x 6.75"	BOX / 25 per box	<b>3M34341</b>
P1200	5.5" x 6.75"	BOX / 25 per box	<b>3M34342</b>
P1500	5.5" x 6.75"	BOX / 25 per box	<b>3M34343</b>

## Scotch-Brite™ Hand Pads and Rolls

Better

### Scotch-Brite™ Hand Pads

- Use for cleaning composites, paint prep, sealer scuffing and scuffing between coats
- Use for hand finishing and cleaning all your projects



GRADE	DESCRIPTION	COLOR	STOCKING UNIT	A&M ITEM #
<b>6" x 9"</b>				
A VFN	General Purpose	Maroon	BOX / 20 per box	<b>3M04029</b>
S ULF	Ultra Fine	Light Grey	BOX / 20 per box	<b>3M04028</b>





# Accessories

## 3M™ Hookit™ Accessories

### 3M™ Hookit™ Disc Pads

These disc pads have a hook attachment which drives 3M™ Hookit™ Discs with brushed Nylon loop backings



3M05775




3M77855

A&M ITEM #	SHAPE	DIAMETER	THICKNESS	THREAD SIZE	FOAM COLOR	FACE COLOR	DENSITY RATING	HOOK TYPE	MAX OPM	MAX RPM
<b>3M05775</b>	45°	5"	3/4"	5/16-24 EXT	Yellow	Yellow	Medium	1	12,000	12,000
<b>Low Profile Finishing</b>										
<b>3M77855</b>	15°	5"	11/16"	5/16-24 EXT	Beige	Yellow	Soft	1	12,000	12,000

### 3M™ Hookit™ D/F Disc Pads

For use with 3M™ Hookit™ D/F Discs. Available in various densities and thicknesses for your vacuum sanding needs.



A&M ITEM #	SHAPE	DIAMETER	THICKNESS	THREAD SIZE	# OF HOLES	FOAM COLOR	FACE COLOR	DENSITY RATING	HOOK TYPE	MAX OPM	MAX RPM
<b>3M51042</b>	Molded Vacuum Groove	5"	11/16"	5/16-24 EXT	5	Beige	Black	Soft	1	12,000	12,000

### 3M™ Hookit™ Clean Sanding Disc Pads

Designed with high performance hole patterns. Pair with a 3M™ Random Orbital Sander to increase abrasive life and achieve high efficiency dust pickup.



A&M ITEM #	DIAMETER	THICKNESS	THREAD SIZE	# OF HOLES	COLOR	FACE COLOR	DENSITY RATING	HOOK TYPE	MAX OPM	MAX RPM
<b>3M20353</b>	5"	3/8"	5/16-24 EXT	44	Red	Black	Firm	2	12,000	12,000

### 3M™ Hookit™ Clean Sanding Interface Pads

Use with 3M Clean Sanding Discs. Constructed of soft durable foam. When used with a Clean Sanding Multi-hole Hookit Backup Pad it increases conformability allowing you to follow contours and get closer to most edges while maximizing dust extraction.



3M28324



3M05771

A&M ITEM #	SIZE	THICKNESS	# OF DUST HOLES	FOAM COLOR	FACE COLOR	DENSITY RATING	HOOK TYPE	MAX OPM	MAX RPM
<b>3M28324</b>	3" x 4"	1/2"	33	Gray	Black	Medium	3	12,000	12,000
<b>3M05771</b>	3" Dia.	1/2"	6	Black	Black	Soft	3	15,000	15,000

CHARLOTTE  
800.822.6047

KNOXVILLE  
877.786.3464

MARIETTA  
800.548.7799

UPPER MARLBORO  
800.733.8480

RICHMOND  
800.895.6597

ORLANDO  
800.432.3481

PINELLAS PARK  
800.877.8551

FT. MYERS  
866.448.1220

JACKSONVILLE  
800.432.8864



# Accessories

## 3M™ Hookit™ Accessories

### 3M™ Hookit™ Clean Sanding Disc Pad Hook Savers

Protects the hooks on a new 3M™ Hookit™ Clean Sanding Disc Pad. An inexpensive attachment to be consumed during sanding in place of a more expensive disc pad.



A&M ITEM #	USE WITH	DIAMETER	# OF DUST HOLES	FACE COLOR	HOOK TYPE	MAX OPM	MAX RPM
3M20444	PN20353	5"	44	Black	2	12,000	12,000

### 3M™ Hookit™ Clean Sanding Pad Hook Saver

Protects the hooks on a new 3M™ Hookit™ Clean Sanding Pad. An inexpensive attachment device to be consumed during sanding in place of a more expensive pad. Use with 3M™ Hookit™ Clean Sanding Pad.



A&M ITEM #	SIZE	# OF HOLES	FACE COLOR	HOOK TYPE	MAX OPM
3M28325	3" x 4"	33	Black	2	12,000

### 3M™ Stikit™ Disc Pads

These disc pads have a vinyl face material which drives 3M™ Stikit™ Discs with Pressure Sensitive Adhesive backings.



A&M ITEM #	SHAPE	DIAMETER	THICKNESS	THREAD SIZE	FOAM COLOR	FACE COLOR	DENSITY RATING	MAX OPM	MAX RPM
<b>Low Profile Finishing</b>									
3M05545	15°	5"	11/16"	5/16-24 EXT	Beige	Brown	Soft	12,000	12,000

### 3M™ Hookit™ Hand Pads and Blocks

For use with 3M™ Hookit™ Sheets. Available in various densities and thicknesses for your hand sanding needs.



A&M ITEM #	SHAPE	DIAMETER	THICKNESS	COLOR	FACE COLOR	DENSITY RATING	HOOK TYPE
<b>Pads</b>							
3M77750	Round	5"	1"	Black	Black	Soft	1
3M77752	Round	5"	1/4"	Black	Black	Soft	1
3M56493	Half Round	5"	1/4"	Black	Black	Medium	1

### 3M™ Stikit™ Hand Pads and Block

Hand pads designed to support 3M™ Stikit™ Discs and Sheets



A&M ITEM #	SHAPE	DIAMETER	THICKNESS	FOAM COLOR	FACE COLOR	DENSITY RATING
<b>Pads</b>						
3M56462	Half Round	5"	3/8"	Black	Blue	Medium
3M48422	Round	5"	1"	Black	Blue	Soft



# Painting & Spray Equipment

## 3M™ Spray Equipment Products

### 3M™ Accuspray™ Atomizing Head

- Replaceable atomizing heads for use with the 3M™ Accuspray™ Spray Gun Model HG18 and HG09. Refill kit contains 4 atomizing heads, 1.8mm



DESCRIPTION	A&M ITEM #
1.8mm Atomizing Head Refill Kit (4-Nozzles/Kit)	<b>3M16611</b>

### 3M™ Accuspray™ HGP Spray Gun Kit

- Use with Type H/O PPS Pressure Cup to spray high viscosity coatings such as latex paints
- Replaceable nozzle makes color changes easy
- Reduces overall gun cleaning time and solvent usage



DESCRIPTION	A&M ITEM #
Kit includes 1 HVLP HGP Spray Gun, 2- 2.0mm Nozzles, 2- 1.8mm Nozzles, Air Control Valve	<b>3M16587</b>
Atomizing Head Refill Kit, 2mm (4 Nozzles/Kit)	<b>3M16609</b>

### 3M™ Dirt Trap Material and Accessories

- Designed to protect surfaces while trapping airborne dust, dirt and paint overspray
- Reduces booth and floor maintenance



**3M36852**

DESCRIPTION	A&M ITEM #
3M™ Dirt Trap Material, 28" x 300'	<b>3M36852</b>
3M™ Dirt Trap Material Dispenser	<b>3M36862</b>
3M™ Dirt Trap Material Floor Applicator, 28"	<b>3M36865</b>



**3M36862**



**3M36865**

## 3M™ PPS™ Preparation System

### 3M™ PPS™ Paint Preparation

- An innovative system for mixing and preparing refinish material prior to spraying
- A complete painting system including accessories, adapters, mixing cups, collars, lids, liners and carriers
- Up to 70% savings of cleaning solvent
- Closed system—no outside contamination
- Faster system—from mixing to disposal



DESCRIPTION	STOCKING UNIT	A&M ITEM #
Medium Cups and Collars, 650mL	BOX / 2 per box	<b>3M16001</b>
Medium Lids and Liners, 650mL	BOX / 50 per box	<b>3M16000</b>
Medium Mix Insert, 650mL	BOX / 100 per box	<b>3M16065</b>
Large Cups and Collars, 850mL	BOX / 1 per box	<b>3M16023</b>
Large Lids and Liners, 850mL	BOX / 25 per box	<b>3M16024</b>
Large Mix Insert, 850mL	BOX / 100 per box	<b>3M16091</b>
Mini Cups and Collars	BOX / 2 per box	<b>3M16115</b>
Mini Lids and Liners	BOX / 50 per box	<b>3M16114</b>
Mini Mix Insert, 6 oz	BOX / 50 per box	<b>3M16066</b>
Midi Cup and Collar, 400mL	BOX / 2 per box	<b>3M16122</b>
400mL Midi Kit (50 lids w/200 micron filters, 50 liners, 20 sealing plugs)	KIT	<b>3M16112</b>

DESCRIPTION	STOCKING UNIT	A&M ITEM #
Type H/O Pressure Cup, Mini	BOX / 1 per box	<b>3M16121</b>
Type H/O Pressure Cup, Large	BOX / 1 per box	<b>3M16124</b>

### 3M™ PPS™ Paint Preparation Adapters

DESCRIPTION	STOCKING UNIT	A&M ITEM #
#2 Adapter, 16mm Female, 1.5mm Thread	EACH	<b>3M16003</b>
#9 Adapter, 16mm Male, 1.5mm Thread	EACH	<b>3M16016</b>
#15 Adapter, 3/8" Male, 19 Thread BSP	EACH	<b>3M16046</b>
#18 Adapter, 3/8" Female, 18 Thread NPS	EACH	<b>3M16054</b>
#21 Adapter, 14mm Female, 1.0mm Thread	EACH	<b>3M16105</b>
Lid Dispenser	BOX / 1 per box	<b>3M16099</b>
Liner Dispenser	EACH	<b>3M16019</b>

CHARLOTTE  
800.822.6047

KNOXVILLE  
877.786.3464

MARIETTA  
800.548.7799

UPPER MARLBORO  
800.733.8480

RICHMOND  
800.895.6597

ORLANDO  
800.432.3481

PINELLAS PARK  
800.877.8551

FT. MYERS  
866.448.1220

JACKSONVILLE  
800.432.8864



# Adhesives & Bonding

## 3M™ Spray Adhesives

### 3M™ FoamFast 74 Spray Adhesive\*

- Traditional and inverted spray technology available
- Fast grabbing foam bonding adhesive in a convenient aerosol can
- Fast-tack with foam tearing strength
- Soft non-dimpling glue line
- Variable width lace spray pattern
- Used for bonding flexible urethane or latex foam together and to other materials such as wood, metal and plastics



NET WT	SIZE	COLOR	STOCKING UNIT	A&M ITEM #
16.9 oz	24 fl oz	Clear	EACH	3M50045

\*Meets current South Coast Air Quality Management District aerosol adhesive VOC limits

## 3M™ Industrial Cleaners & Lubricants

### 3M™ Silicone Lubricant

- Silicone base release agent for industrial lubrication applications
- FDA listed ingredients
- Fast drying, long lasting and non-staining
- Lubricates machinery, moving parts, eliminates squeaks caused by friction, prevents sticking, freezing and protects against rust
- Helps prevent build up of glues, wax, inks and paints



SIZE	STOCKING UNIT	A&M ITEM #
24 fl oz	EACH	3M85822

## 3M™ Woodworking Adhesives

### 3M™ Scotch-Weld™ Epoxy Adhesive DP100

- Rigid, two-part epoxy
- Fast setting
- Bonds to a variety of materials such as metals, ceramics, wood and many plastics
- 1:1 mix ratio, 3-5 minute work life and handling strength in 20 minutes



SIZE	STOCKING UNIT	A&M ITEM #
1.7 fl oz	EACH	3M22648
200mL	EACH	3M87260
400mL	EACH	3M87261

### 3M™ EPX™ Applicators and Accessories

- Applicator, plunger and nozzle assembly give you the control you need for precise application
- Easy to use applicator makes adhesives easy to dispense
- Designed for 1:1 or 2:1 mix ratio



DESCRIPTION	STOCKING UNIT	A&M ITEM #
EPX Plus II Applicator 50mL	EACH	3M50004



# Adhesives & Bonding

## 3M™ Scotch-Weld™ Hot Melt Applicators

### Equipment

Save time and money with the right equipment for the job. 3M™ Scotch-Weld™ Hot Melt Adhesive Equipment is easy to use and helps you get the perfect amount of adhesive every time. Its rugged construction stands up to every day wear and tear, and its controlled dispensing is ideal for a variety of applications.



3M89447

3M89445

3M™ Scotch-Weld™ Hot Melt Applicator	WEIGHT <sup>1</sup>	OUTPUT <sup>2</sup> lb/hr	TEMPERATURE <sup>3</sup>	POWER (120V)	ADHESIVE (DIA. x LENGTH)	FEATURES	WARRANTY (MONTHS)	A&M ITEM #
LT with Quadrack™ Converter	13.8 oz	2.6	265°F (129°C)	150W	5/8" x 8" Q	For use with low melt adhesives	12	<b>3M89447</b>
TC with Quadrack™ Converter	13.8 oz	3.5	385°F (196°C)	150W	5/8" x 8" Q	Easy to use with standard melt adhesives	12	<b>3M89445</b>

1. Weight shown is for applicator only—does not include adhesive capacity.

2. Adhesive output will vary with conditions and the adhesive used. Values are approximate and are based on maximum steady-rate flow.

3. Temperatures shown are nominal control values. Actual temperatures will range slightly above and below this value.

NOTE: The technical information and data on these pages should be considered representative or typical only and should not be used for specification purposes.

## 3M™ Scotch-Weld™ Hot Melt Adhesives

### High Temperature Applied Adhesives

- Versatile hot melt adhesives are ideal for bonding a variety of substrates
- Replaces pins and staples in furniture and joinery applications
- Bonds in seconds and holds firmly and dependably



DESCRIPTION	FEATURES	SIZE	STOCKING UNIT	A&M ITEM #
3738 Tan	<ul style="list-style-type: none"> <li>• General purpose adhesive</li> <li>• High delivery rate and long bonding range</li> <li>• For foundry sand cores, wood bonding, corrugated and select plastics and chipboard</li> </ul>	1" x 3" PG	LBS	<b>3M82609</b>
		1/2" x 12" AE	LBS	<b>3M82594</b>
		5/8" x 2" TC	LBS	<b>3M82610</b>
		5/8" x 8" Q	LBS	<b>3M65262</b>
3764 Clear	<ul style="list-style-type: none"> <li>• Bonds variety of plastics including polycarbonate, polyethylene and polypropylene</li> <li>• Flexible at low temperatures</li> </ul>	1/2" x 12" AE	LBS	<b>3M82597</b>
3792 Clear	<ul style="list-style-type: none"> <li>• Multi-purpose adhesive</li> <li>• For wood, corrugated fabric, furniture, upholstery, novelties and other lightweight materials</li> </ul>	1" x 3" PG	LBS	<b>3M82606</b>
		1/2" x 12" AE	LBS	<b>3M82583</b>
		5/8" x 2" TC	LBS	<b>3M82589</b>
		5/8" x 8" Q	LBS	<b>3M65263</b>

CHARLOTTE  
800.822.6047

KNOXVILLE  
877.786.3464

MARIETTA  
800.548.7799

UPPER MARLBORO  
800.733.8480

RICHMOND  
800.895.6597

ORLANDO  
800.432.3481

PINELLAS PARK  
800.877.8551

FT. MYERS  
866.448.1220

JACKSONVILLE  
800.432.8864





# Tapes & Masking

## 3M™ Masking Tapes

### Scotch® Masking Tape for General Painting 2050

- Ideal for window, door and wall trim and for masking cabinets, carpet and vinyl flooring
- Removes cleanly for up to 3 days
- Features medium-high adhesion



SIZE	STOCKING UNIT	A&M ITEM #
1.41" x 60 yds	EACH	<b>3M05619</b>
2" x 60 yds	EACH	<b>3M05620</b>
3" x 60 yds	EACH	<b>3M05621</b>

### Scotch® Solvent-Resistant Masking Tape 2040

- Delivers excellent, conformable adhesion with high holding power
- Use with most solvent-based and lacquer coatings to produce an excellent tape line
- Individually shrink wrapped rolls
- Conforms well to most surfaces, which produces an excellent paint line
- A strong backing reduces tearing



SIZE	STOCKING UNIT	A&M ITEM #
24mm x 55m	EACH	<b>3M02992</b>
36mm x 55m	EACH	<b>3M02993</b>
48mm x 55m	EACH	<b>3M04365</b>

### Scotch® Masking Tape for Hard-to-Stick Surfaces 2060

- Designed specifically for use with lacquer coatings
- Sticks aggressively, making it ideal for rough surfaces such as stucco, concrete, and wood
- Ideal for interior and exterior use
- Can be cleanly removed for up to 3 days
- Features very high adhesion



SIZE	STOCKING UNIT	A&M ITEM #
18mm x 55m	EACH	<b>3M71131</b>
24mm x 55m	EACH	<b>3M71132</b>
36mm x 55m	EACH	<b>3M71133</b>
48mm x 55m	EACH	<b>3M71134</b>

### Scotch® Performance Masking Tape 231/231A

- All-purpose masking tape for use when critical paint lines are required
- For use at temperatures up to 300°F (149°C)
- Clean removal during process



SIZE	STOCKING UNIT	A&M ITEM #
18mm x 55m	EACH	<b>3M03776</b>
24mm x 55m	EACH	<b>3M03777</b>
36mm x 55m (6.1 mil)	EACH	<b>3M04111</b>
48mm x 55m	EACH	<b>3M04237</b>
72mm x 55m	EACH	<b>3M04936</b>

### 3M™ High Performance Green Masking Tape 401+

- Industrial-strength high performance masking tape used for critical paint masking applications
- 3M proprietary solvent-free adhesive sticks to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece
- High-strength crepe paper backing conforms to irregular surfaces and resists bleed through from most industrial paint systems for super sharp paint lines
- Great UV resistance
- Temperature use range up to 250°F (121°C) for 30 minutes
- Adhesion to Steel: 38 oz./in. width; Tensile Strength: 25 lbs/in; Tape thickness: 6.7 mils



SIZE	COLOR	STOCKING UNIT	A&M ITEM #
24mm x 55m	Green	EACH	<b>3M64761</b>
36mm x 55m	Green	EACH	<b>3M64762</b>
48mm x 55m	Green	EACH	<b>3M64763</b>





# Tapes & Masking

## 3M™ Masking Tapes

### 3M™ Performance Yellow Masking Tape 301+

- Industrial-strength performance masking tape used for paint masking, bundling, holding and identifying applications
- 3M proprietary solvent-free adhesive sticks with confidence to most surfaces (including metal, rubber, glass and plastic) while removing cleanly in one piece
- Strong yellow crepe paper backing conforms to irregular surfaces, resists bleed through of most industrial paint systems, and improves visibility during the paint masking process
- Temperature use range up to 225°F (107°C)
- Great paint lines
- Medium-high conformability



SIZE	COLOR	STOCKING UNIT	A&M ITEM #
24mm x 55m	Yellow	EACH	<b>3M64751</b>
36mm x 55m	Yellow	EACH	<b>3M64752</b>
48mm x 55m	Yellow	EACH	<b>3M64753</b>

### 3M™ General Use Tan Masking Tape 201+

- General use for light and medium-duty applications
- Rubber-based adhesive sticks to a variety of surfaces
- Smooth and conformable crepe paper backing is easy to handle, apply and remove in one piece
- Temperature use range up to 200°F (93°C)
- Good paint lines
- Medium conformability



SIZE	COLOR	STOCKING UNIT	A&M ITEM #
48mm x 55m	Tan	EACH	<b>3M64742</b>
36mm x 55m	Tan	EACH	<b>3M64741</b>
24mm x 55m	Tan	EACH	<b>3M64740</b>

### ScotchBlue™ Painter's Tape 2090

- For interior and exterior use
- 14-day clean removal
- Flexible crepe backing for exceptional conformability
- UV and sunlight resistant, medium adhesion
- Recommended surfaces: painted walls, metal, curved or uneven surfaces, wood and glass



SIZE	COLOR	STOCKING UNIT	A&M ITEM #
0.94" X 60 yds	Blue	EACH	<b>3M03681</b>
1.88" X 60 yds	Blue	EACH	<b>3M03683</b>

## 3M™ Masking Systems

### Premium Quality Masking Paper

- Available in general purpose or premium quality
- Premium quality is designed to minimize bleed-through
- General purpose paper is ideal with water-based coatings



DESCRIPTION	SIZE	STOCKING UNIT	A&M ITEM #
MP3	3" x 60 yds	EACH	<b>3M77401</b>
MP6	6" x 60 yds	EACH	<b>3M77402</b>
MP9	9" x 60 yds	EACH	<b>3M77403</b>
MP15	15" x 60 yds	EACH	<b>3M77400</b>



# Protective Products

## 3M™ Bumpon™ Protective Products

### 3M™ Bumpon™ Protective Products—Quiet Clear

- Individually packed pads of soft, clear, pressure-sensitive, polyurethane bumpers that offer superior sound and vibration damping for cabinets and drawers, making them ideal for use on cabinets
- Aggressive, high-tack adhesive and clear color help provide universal color match for use on many cabinet colors and styles
- Shelf life is 18 months from date of manufacture

SHAPE	SIZE	STOCKING UNIT	A&M ITEM #
Hexagonal Cone Soft	.12" x .43"	CARD / 132 per card	<b>3M45043</b>
Hemisphere Soft	.15" x .37"	CARD / 96 per card	<b>3M45774</b>
Cylindrical Soft	.14" x .50"	CARD / 56 per card	<b>3M45773</b>
Hexagonal Hemisphere Soft	.15" x .43"	CARD / 132 per card	<b>3M45764</b>



### 3M™ Bumpon™ Protective Products—Hemisphere

- Pressure-sensitive self-adhering polyurethane bumpers
- Can be used as feet, stops, spacers and protectors in many applications



SIZE	COLOR	STOCKING UNIT	A&M ITEM #
.44" x .20"	Black	CARD / 56 per card	<b>3M18425</b>
.44" x .20"	Grey	CARD / 56 per card	<b>3M18427</b>
.44" x .20"	White	CARD / 56 per card	<b>3M18428</b>



# Safety

## 3M™ Filtering Facepiece Respirators

### 3M™ Particulate Respirator 8210V, N95

- Disposable N95 particulate respirator
- Features the 3M™ Cool Flow™ Exhalation Valve
- Helps provide comfortable, reliable worker respiratory protection against certain non-oil based particles
- Ideally suited for hot/dusty work settings or long periods of wear



STOCKING UNIT	A&M ITEM #
BOX / 10 per box	3M49711

### 3M™ Particulate Respirator 8210, N95

- Designed to help provide quality, reliable worker protection against certain non-oil based particles
- Lightweight construction helps promote greater worker comfort and increased wear time
- Workplace applications include grinding, sanding, sweeping, bagging and other dusty operations



STOCKING UNIT	A&M ITEM #
BOX / 20 per box	3M46457

### 3M™ Particulate Respirator 8511, N95

- Designed to help provide protection against certain non-oil based particles
- Ideally suited for work settings that involve heat, humidity, or long periods of wear
- Workplace applications include grinding, sanding, sweeping, bagging and other dusty/hot operations
- Features the 3M™ Cool Flow™ Exhalation Valve, braided headbands and adjustable M-noseclip to help provide a custom and secure seal



STOCKING UNIT	A&M ITEM #
BOX / 10 per box	3M54343

## 3M™ Half Facepiece Respirators

### 3M™ Half Facepiece Respirators 51P71, 52P71, 53P71, Disposable

- NIOSH approved against certain organic vapors and particulates
- Use for a variety of applications including spray painting, pesticides, agriculture, construction and transportation
- Disposable, cartridges are permanently attached
- When properly fitted, helps provide respiratory protection from certain organic vapors and particulates at concentrations up to 10 times the Permissible Exposure Limit (PEL)
- Do not use in environments that are immediately dangerous to life or health (IDLH)



STOCKING UNIT	SIZE	A&M ITEM #
EACH	Small	3M66068
EACH	Medium	3M66069
EACH	Large	3M66070

### 3M™ Rugged Comfort Quick Latch Half Facepiece Reusable Respirator 6501QL, 6502QL, 6503QL

- Resilient silicone faceseal provides comfort, durability, and stability with a soft but firm seal
- Quick Latch mechanism makes it easy to drop down the respirator from face without removed head straps
- Proprietary 3M™ Cool Flow™ valve helps reduce heat and moisture to make breathing easier
- Low profile half facepiece design offers a wide field of view and compatibility with welding and grinding shields
- Exhalation valve cover directs exhaled breath and moisture downward to reduce fogging of face shields



SIZE	STOCKING UNIT	A&M ITEM #
Small	EACH	3M49488
Medium	EACH	3M49490
Large	EACH	3M49492



# Safety

## 3M™ Full Facepiece Respirators

### 3M™ Ultimate FX Full Facepiece Reusable Respirator FF-400 Series

- Large lens featuring Scotchgard™ protector
- Passive speaking diaphragm
- Bonded silicone gaskets
- Easy to use
- Durable, long-lasting head harness
- Comfort cradle
- Soft, silicone nose cup and faceseal
- 3M™ Cool Flow™ Exhalation Valve
- Available in three sizes
- Six adjustable straps help provide a secure fit
- May be used in air purifying respirator (APR) and supplied air modes



SIZE	STOCKING UNIT	A&M ITEM #
Small	EACH	<b>3M89418</b>
Medium	EACH	<b>3M89421</b>
Large	EACH	<b>3M89424</b>

## 3M™ Particulate Filters

### 3M™ Filter Retainer 501

- For use on 3M™ Half Facepiece Respirators 5000, 3M™ Cartridges 6000 Series, or with 3M™ Facepiece 6000 and 7000 Series with 3M™ 603 Filter Adapter and 3M™ Particulate Filter 5N11 or 5P71



STOCKING UNIT	A&M ITEM #
EACH	<b>3M17668</b>

### 3M™ Particulate Filter 5P71, P95

- NIOSH approved for environments containing certain oil and non-oil based particles
- Use with 3M™ Respirators 5000 Series, 3M™ Cartridges 6000 Series or 3M™ Filter Adapter 603 and 3M™ Filter Retainer 501
- Use with appropriate cartridges for various applications including spray painting, lacquering, petrochemical and chemical manufacturing, pesticide spraying and agriculture



STOCKING UNIT	A&M ITEM #
EACH	<b>3M07194</b>

### 3M™ Organic Vapor Cartridge 6001

- NIOSH approved against certain organic vapors
- Use with 3M™ Half and Full Facepieces 6000 Series, 3M™ Half and Full Facepieces 7000 Series or 3M™ Full Facepieces FF-400 Series
- Use in a variety of workplace applications, including petrochemical, chemical manufacturing, construction, transportation and electronics
- Helps provide respiratory protection from certain organic vapors at concentrations up to 10 times the Permissible Exposure Limit (PEL) with half facepieces or 50 times PEL with full facepieces when quantitatively fit tested



STOCKING UNIT	A&M ITEM #
EACH	<b>3M21674</b>



# Safety

## 3M™ Eye and Face Protection

### 3M™ Virtua™ CCS Protective Eyewear with Foam Gasket

- Comfortable, lightweight frame features the Cord Control System (CCS) designed to keep a corded earplug attached, untangled and ready for use
- Optional foam gasket attachment helps limit eye exposure to nuisance dust while providing additional cushioning
- Anti-fog polycarbonate lenses absorb 99.9% UV
- Meets the requirements of CSA Z94.3-07 and is Impact Rated to ANSI X87.1-2010



DESCRIPTION	STOCKING UNIT	A&M ITEM #
Clear Anti-Fog Lens	EACH	3M11872

### 3M™ Tour Guard™ Protective Eyewear

- Polycarbonate construction
- Fits over most prescription eyeglass frames
- Absorbs 99.9% UV
- Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3-2007



DESCRIPTION	STOCKING UNIT	A&M ITEM #
Clear Frame, Clear Lens	EACH	3M62343

### 3M™ Lexa™ Dust GoggleGear™

- Large or medium size with adjustable strap
- Vent channels at top and bottom for improved air flow
- Lighter weight for improved comfort
- Soft foam lens backing helps keep out particulates
- Meets the requirements of ANSI Z87.1-2010



DESCRIPTION	STOCKING UNIT	A&M ITEM #
Clear Lens, Headband, Large	EACH	3M62331

### 3M™ Nuvo™ Reader Protective Eyewear

- Lightweight, retro-styled
- Features adjustable temples, an integral brow bar and soft nosepiece
- Contoured frame and sideshields offer additional safety coverage
- Available in three bifocal magnification strengths
- Meets the requirements of ANSI Z87.1-2010 and CSA Z94.3-2007



DESCRIPTION	STOCKING UNIT	A&M ITEM #
Clear Lens, Gray Frame +1.5 Diopter	EACH	3M62062
Clear Lens, Gray Frame +2.0 Diopter	EACH	3M62063
Clear Lens, Gray Frame +2.5 Diopter	EACH	3M62064

### 3M™ SecureFit™ Protective Eyewear, 200 Series

- 3M Pressure Diffusion Technology allows temples to naturally adjust to individual head sizes
- Self-adjusting feature eliminates need to stock multiple frame sizes at worksites
- Secure, snug fit keeps eyewear in place without slippage even when the person is in motion
- Anti-fog coating helps keep lenses free of moisture in hot and humid conditions
- Polycarbonate lenses absorb 99.9% UVA and UVB up to 380 nm and meet the requirements of CSA Z94.3 and ANSI Z87.1-2010



DESCRIPTION	STOCKING UNIT	A&M ITEM #
Clear Lens	EACH	3M65717

## 3M™ Matting and Traction Products

### 3M™ Clean-Walk Mats

- Capture dirt on contact from shoe soles, wheels and other passing objects
- Unframed mats adhere to most smooth clean and dry floors such as tile or concrete and remove cleanly from floor surface when all sheets are used
- Framed mats are adhered to plastic frame with a nonskid, textured back to maintain position on carpet and other surfaces
- Replacement pads/mats install easily to the reusable plastic frame
- Individually tabbed sheets remove easily to expose a new, ready-to-use sheet
- 1.2 mil (0.03mm) polyethylene film with acrylic adhesive ideal for concrete and other smooth floor surfaces



DESCRIPTION	SIZE	COLOR	STOCKING UNIT	A&M ITEM #
Unframed	25" x 45"	White	CASE / 4 per case	3M55728
Framed	31.5" x 25.5"	White/White	CASE / 1 per case	3M55723
Replacement Mats	30" x 24"	White	CASE / 2 per case	3M55722





# Safety

## 3M™ Protective Coveralls

### 3M™ Disposable Protective Coverall 4515

- Elastic waist, ankles and wrists for convenience and freedom of movement
- Two-way zipper with storm flap for convenience and to help provide additional protection
- Helps protect against light liquid splashes and hazardous dusts



SIZE	STOCKING UNIT	A&M ITEM #
Large	EACH	<b>3M46713</b>
XL	EACH	<b>3M46716</b>
XXL	EACH	<b>3M46718</b>

### 3M™ Disposable Protective Coverall 4520

- Breathable material (SMMMS) to help reduce heat stress and comfortable wear
- Elastic waist and ankles for convenience and freedom of movement
- Knit cuffs for increase comfort
- Three panel hood design for compatibility with complimentary PPE
- Two-way zipper with sealable storm flap for convenience and to help provide additional protection
- Anti-static coating on both sides
- Available in both collared and hooded styles
- Helps protect against light liquid splashes and hazardous dusts



SIZE	STOCKING UNIT	A&M ITEM #
<b>Collared</b>		
Large	EACH	<b>3M64643</b>
XL	EACH	<b>3M64644</b>
XXL	EACH	<b>3M64645</b>

## 3M™ Hearing Conservation

### 3M™ Skull Screws™ Earplugs

- Push-to fit foam earplugs sport the tough look of threaded metal, but feel of soft foam
- Push-to-fit convenience and noise attenuation
- Effective hearing protection and compliance with a clean, easy twist
- Test compatible with 3M™ E-A-Rfit™ Validation System
- Noise Reduction Rating: 32 db\*



**3M92952**



**3M92951**

DESCRIPTION	STOCKING UNIT	A&M ITEM #
Corded	PAIR	<b>3M92952</b>
Uncorded	PAIR	<b>3M92951</b>

### 3M™ E-A-R™ Classics™ Earplugs

- Slow-recovery foam helps provide comfort and minimize pressure
- Foam is flame-resistant and moisture-resistant
- Test compatible with 3M™ E-A-Rfit™ Validation System
- Noise Reduction Rating: 29 dB\*



**3M11001**



**3M12002**

DESCRIPTION	STOCKING UNIT	A&M ITEM #
Corded	PAIR	<b>3M11001</b>
Uncorded	PAIR	<b>3M12002</b>

### 3M™ 1100 Series Earplugs

- Soft, hypo-allergenic polyurethane foam offers maximum wearer comfort
- Smooth, dirt-resistant surface
- Tapered design fits most ear canals
- Available corded or uncorded
- Noise Reduction Rating: 29 dB\*



**3M29009**



**3M29008**

DESCRIPTION	STOCKING UNIT	A&M ITEM #
Corded	BOX / 100 pairs	<b>3M29009</b>
Uncorded	BOX / 200 pairs	<b>3M29008</b>

\*Research suggests that many users will receive less noise reduction than indicated by the NRR due to variation in earplug fit and wearing time. It is recommended that the NRR be reduced by 50% for estimating the average amount of noise reduction provided.





## Miscellaneous Solutions

### Body Fillers Better

#### 3M™ MarGrip™ II Body Filler

- Tan in color so it blends easily for wood-working applications
- Easy to work, smooth formula
- Tack-free—Cures in minutes for fast repairs



SIZE	STOCKING UNIT	A&M ITEM #
Gallon	EACH	3M05868

#### 3M™ Lightweight Body Filler

- Lightweight polyester body filler cures to a tack-free state in 15 to 20 minutes
- Creamy texture spreads smoothly
- Vacuum-processed to minimize pinholes
- Easy sanding
- Resists abrasive loading
- Tack-free resin



SIZE	STOCKING UNIT	A&M ITEM #
Quart	EACH	3M05800
Gallon	EACH	3M05801

#### Dynatron™ Dynalite™ Body Filler

- An economical choice for gap filling, smoothing and general repair
- Great for plug, pattern and tooling departments for creating and building shapes, curves and intricate elements to molds and patterns
- Easy to mix, apply and sand
- Quick cure time
- Great for quick repairs to fiberglass, wood, metal, concrete and aluminum



SIZE	STOCKING UNIT	A&M ITEM #
Quart	EACH	3M00492
Gallon	EACH	3M00494

### Wood Repair

#### 3M™ Wood Filler

- Best choice for repairing any wooden item
- Once dried, it can be sanded, shaped, planed, drilled, routed or sawed just like wood
- Formulated to accept stain and paint more naturally than most wood filler products
- For rotted wood problems, use 3M Rotted Wood Stabilizer before applying the wood filler
- Rebuilds, restores and replaces rotted or damaged sections of wood on doors, windows, fences, furniture, shutters and more



SIZE	STOCKING UNIT	A&M ITEM #
Quart	EACH	3M20082

### Hardeners

#### Crème Hardener

- Red crème hardening agent designed to be used with all 3M™ Body Repair Fillers, Fiberglass Reinforced Fillers and Finishing Putties
- Creamy consistency mixes easily and quickly



SIZE	STOCKING UNIT	A&M ITEM #
2.75 oz tube	EACH	3M05830

#### Crème Hardeners

- Specially designed for use with Dynatron™ brand fillers, resins and putties
- Made of the highest quality raw materials



SIZE	COLOR	STOCKING UNIT	A&M ITEM #
2.75 oz tube	White	EACH	3M00308

### Spreaders

#### Dynatron™ Spreader

- Flexible spreading edge makes precise application of body fillers, putties and glazes a breeze
- Cured body filler will easily pop off the spreader allowing it to be reused



SIZE	COLOR	STOCKING UNIT	A&M ITEM #
3" x 4"	Yellow	EACH	3M00344

### Putties

#### 3M™ Platinum™ Plus Putty

- Cuts sanding time to as little as 15 minutes
- Vacuum-processed and pinhole free
- Stain-free/tack-free
- Smooth spreading formula blocks staining on economy fillers
- Perfect finish for base coats
- Holds tightly to metals, plastics and other surfaces



SIZE	STOCKING UNIT	A&M ITEM #
Quart	EACH	3M33003



NPR #066

AUGUST 2014

[www.a-msupply.com](http://www.a-msupply.com)

CHARLOTTE  
800.822.6047

KNOXVILLE  
877.786.3464

MARIETTA  
800.548.7799

UPPER MARLBORO  
800.733.8480

RICHMOND  
800.895.6597

ORLANDO  
800.432.3481

PINELLAS PARK  
800.877.8551

FT. MYERS  
866.448.1220

JACKSONVILLE  
800.432.8864